62

I19581

HEATHERFELLS NURSERY

LANDSCAPE SERVICE H. Rohrbach



SUNSET ROCK ROAD I. I B R A R Y MASSACHUSETTS

Tel. 192 MI 5-0192

RECEITED * AUG 4 1958 *

U. S. Department of Agriculture



IN ANDOVER SINCE 1984

Plant America CHUSETTS HORTICULTURAL SO

NEW ENGLAND NURSERYMEN'S ASSOCIATION INTERNATIONAL DENDROLOGICAL WATER

Conditions of Sale

It is to our interest to see that only good and correctly labeled plants leave the Nursery, but we give **no guaranty** or implied, as to description, growth and success of any stock we sell, for it depends on correct planting, proper soil. weather conditions, and the general care of the plants.

We accept all orders upon the condition that they shall be void should injury befall the stock from frost, fire, hailstorm, or other causes over which we have no control.

Any errors made by us will be gladly rectified if notice is given within ten days after receiving the stock. If any plants are found to be misnamed, we will replace them the next season. Liability in all instances is limited to the purchase price.

All parcel post, express or freight charges are paid by the purchaser. On orders packed for shipment there is a small additional charge for packing, at cost.

Prices are subject to change without notice.

TERMS: Charge accounts for thirty days' credit may be opened by new customers giving satisfactory bank or trade references, but to those unknown to us, we ask for cash with order.

All prices for stock are here at the Nursery, and packing will be charged at cost.

We reserve the right to make an additional charge for specimen plants selected in the field.

A certificate of State and Federal inspection for freedom from injurious insects (gypsy moths, Japanese beetles, etc.) or disease on our plants is available with every order.

Of some plants listed there are available larger or bushier specimens at a special price, which cannot be included in such a catalogue. But a visit to the nursery will be helpful in selecting other sizes.

CAUTION!

Most losses are caused by careless planting or lack of aftercare.

- Never allow roots to dry out. If you can't plant at once bury the roots or ball of earth in a temporary location or keep in a cool shady place and keep moist.
- Plant only in good soil and dig hole 1 foot larger than ball or root spread. If soil is clay or sandy add peat or leaf mold, Don't use chemical fertilizer in contact with roots. Organic fertilizers are safer in all cases.
- Plant same depth as plants stood in nursery. Spread roots out naturally and work soil in around them. Remove burlap carefully from balled plants. Firm the soil around the roots or ball, adding more soil till hole is almost full.
- Fill hole with water repeatedly until all soil is well settled. Then
 add loose soil or cover with mulch.
- Water heavily once a week till well established. Water weekly during dry spells,



OUTDOOR LIVING ROOM

Gardening in Northern New England

Not alone the inside of the house and its furnishings are the factors of giving us the home, the proper suroundings of our daily life, but also what is outside the house, the garden, is essential for our wellbeing. Just as this outdoor livingroom is the sign of our viewpoint toward life, so it is necessary for the whole nation. Therefor we should try to beautify our gardens to the best ability, but also according to the laws of nature.

One factor and a very serious one is our climate. We all know the hard winters we can expect, also the dry summers we can experience. In short I try to picture the climate in the eastern U. S. as a spanish summer and a russian winter, blended into one. We are living in the same latitudes as the mediterranean basin, but have the winds and colds of the northern american plains like Russia has in her steppes.

We, as we are living in northern New England, have to work constantly with this climate and I am since many years of the opinion that only the varieties and selections in regard to hardiness in the north are the ones, which we should plant. This means we are working with nature. In growing and breeding, in collecting and selecting I try to find solutions to the everpresent questions: what and where should we plant certain plants. Some of the varities listed here are grown and tested for many years for such hardiness, also for resistance against cold and diseases.

This limits the field in many cases, when catalogues from more southern locations can list many more, but those varieties will not live through, often resulting in disappointment, failure and disillusionment, which is against nature. Gardening with nature is rewarding, less troublesome, ending in joyful often surprising results, and in the end the least expensive way.

To the gardening public I offer in this way my knowledge, but beyond that for any problem, small or large, in planning, designing and planting a garden space I am ready to assist toward solving your problems.

Stock reproduced by cuttings is taken from the best possible motherplants, where grafting has to take place the understock is selected for the proper development of the ultimate plant.

Where possible all varieties are grown on their own roots, guaranteeing in spite of the initial higher cost greater success with less care and expense in later years.

I cordially invite you to visit my gardens at Heatherfells, but it is better to telephone first to be sure I am available. Plants selected can be dug later at the proper time and also delivered.

Our landscape service is known to be of good reputation. The designing, planning and planting is always under my own personal supervision, and all efforts are taken in order to plant the right plant in the right place. We plant for men and mankind, not for the gardeners sake, planting for best results and enjoyment rather than for the sake of selling.

The worth of the product, the value of the service is measured not alone by its original cost, but as well by its quality, its character and its satisfaction, which should last for years to come.

In landscaping, money spent for "cheaper" work is often money wasted altogether, not counting the time it pays to do it thoroughly well. We believe in this policy, and follow it consistently.

BROADLEAF EVERGREEN SHRUBS

With any of those types we have the chance of prolonging the picture of the summer months through the whole year, breaking the monotony of coniferous evergreens. When the deciduous shrubs have dropped their leaves in fall, the evergreen ones keep them on, and by choosing the various sizes of leaves, the different texture, also the changing of color, often from green to purple or reddish, the garden can stay alive all through the winter. All those plants are the medium, by which we can achieve the garden of 12 months.

The taller shrubs do well when interplanted with ground-covers and bulbs; also with the dwarf and creeping species. In so doing we can preserve all the leaves falling off other trees and shrubs resulting in a continuous enrichment of the topsoil, keeping the weeds off in summer, also keeping the cold out in winter, which means conservation of water and balance of an even temperature.

This litter of leaves is the natural mulch which we can increase or substitute by artificial mulch of peatmoss and any organic matter.

In order to make it easier to select plants according to their soil requirements I have kept the Heather family apart in a separate list.

Abbreviations:

L. leaves, Fl. Flowers, Fr. Fruit, Roman numerals-month of bloom. Eur.-Europe, As.-Asia, Am. America.

zar zar po,	•	
BUXUS, sempervirens	Eur.	Common Boxwood
Own selection for north.		Buxaceae
L. Glossy green, bushform, 8-10 in. 10-12 Collected in the Savoyen A	_	2.00 3.00
-semp. suffruticosa	Eur.	Dwarf Boxwood
The best for dwarf hedges.		Hardy
Extremely dependable. Ow	n hardy selection.	1.00
8-10 in.		1.00 2.00
10-12 in. 15-18 in.		4.00
12-15 in.		4.00
—microphylla koreana L. Light green, more yello 8-10 in.	As.	Korean Boxwood species.
microphylla	As.	Very Dwarf
nana compacta		Korean Boxwood
2-3 in.		1.00
3-5 in.		2.00

CYTISUS, praecox albus Stems green. Fl. White. Fr. Brown-black pod.	Eur.	Warminster Broom Leguminosae
potgrown		1.00
—scoparius (Sarothamnus scoparius) V-V Stems dark green, Fl. Golden,	Eur. I	Scotch Broom Leguminosae
Fr. black pod. Hardy. potgrown 2 ft. potgrown 3 ft. potgrown 3 1/3 ft.		Black Forest Gold 1.00 2.00 3.00
DAPHNE, cneorum	Eur.	Garland flower
L. Light green. Fl. Pink. IV-V Very fragrant. In umbels. VII	•	Thymeleaceae
6/8 in. spread		2.00
L. Blueish-green. Larger than larger fragrant in umbels. Creeping and Very rare and scarce.	nd sprawling, in	Royal Daphne Cream-white. Very shade. Prefers lime.
potgrown IV-V	7	2.00
EVONYMUS, radicans L. Medium. Fl. Green. Fr. Orange berry. VI	As. Japan	Wintercreeper Celastraceae
2 year 3 year		1.00 1.50
—radicans carrieri VI L. Oblong. Fl. Green. Fr. Orange Berry		Glossy W.
2 yr. 3 yr.		1.00 1.50
—rad. colorata VII L. Large. In winter, purple. Fl. Greenish white. Fr. Orange	e.	Purpleleaf W.
2 yr. 3 yr.		1.00 1.50
—rad. kewensis		Kew. W.
L. Very small. Fl. and Fr. non 2 yr.	e.	1.00
—rad. minima		Kew. or Baby. W.
L. Very small. Fl. and Fr. non 2 yr.	e.	1.00
—rad. vegeta VI L. Round. Large. Fl. Green. Fr. Orange berry, many.	v.	Bigleaf W.
2 yr.		1.00
—rad. argenteomarginata L. Bordered white, Fl. and Fr	. none.	

—rad. carrieri argenteomarginata L. Bordered white, yellowish. Fl. Green, berry orange. 2 yr.	2.00
HEDERA, helix L. Heartshaped, threelobed.	English Ivy Araliaceae
—baltica The hardy variety of the English. Ivy with smaller leaves,	Baltic Ivy
potgrown	.75
—sagittifolia	Arrow Ivy
L. Arrowlike, center lobe longer. potgrown	.75
—pedata	Birdsfoot Ivy
L. Center lobe longer and wide. potgrown	.75
—arborescens L. Oval, not lobed, Fr. black berry. Growing into a low shrub. The adult, fruiting form of the Ivy.	Bush Ivy
potgrown	1.00
 typica contracta L. Small, wavy, (twisted) nicely marked. Slow and low creeping. A very beautiful new form. Rare and very slow covering rocks and low walls. potgrown 2 yr. potgrown 3 yr. 	Dwarf Ivy growing, nice for 1.00 2.00
ILEX, crenata latifolia Japan L. Medium. Fr. Black. 18 to 24 in.	Japanese Holly Aquifoliaceae 7.50
—crenata convexa Boxle 12 to 15 in. 15 to 18 in.	taf Japanese Holly 4.50 6.50
—crenata helleri 12 to 15 in.	6.00
—glabra N. Am. L. Long. Fruit black.	Inkberry
12 to 15 in. 15 to 18 in.	3.50 5.00

OPACA	N. Am.	American Holly
My own selected strains, on v	vhich I have worke	ed for many years
to have Holly hardy for our	localities.	a rer many years
L. Dark green. Fr. Red berry		
> var. > Andover		
> var. > Shawsheen		
> var. > Merrimack		
All good types of female bern	ybearing plants.	
When desired, male plants a no male plants are in the nei	re available for po	ollination, in case
12 to 15 in.	0	4.00
15 to 18 in.		5.00
18 to 24 in.		6.00
	Asia	Chinese Holly
L. Without thorns. Green.		•
Fr. Red berry.		
12 to 15 in.		4.00
LAVANDULA, officinalis	Eur.	Lavender
VII	•	Labiatae
L. Gray-green. Fl. Purple.		
Munstead. var. Dark blue.		
young plant		.50
Fl. pink		.50
LONICERA, pileata yunnanensi	s Asia	Honeysuckle
V		Caprifoliaceae
L. Like boxwood, Fl. greenish	h	Сартнопассас
Fr. purplish-violet berry		
6 in.		1.00
MAHONIA, aquifolium	N. Am. Or	regan Hallwarens
IV-	V	Berbidaceae
L. Spiny, turning purple in w		Fr Blue
12 to 15 in.		4.00
repens	A	
L. Spiny. Fl. Yellow. Fr. Blue	Am, Cree	eping Hollygrape
Low growing and suckering.	. L. Not turning]	purple in winter,
9 in. V		2.00
DA CHICTIAA		
PACHISTIMA, canbyi	N. Am.	Canby Pachistima
Very dwarf, Good ground cove	er.	Celastraceae
L. Small boxwood like. Fl. Pi 6 in. V-VI		1.00
, , _		1.00
	Asia	Japanese Spurge
One of the best ground covers,		Buxaceae
Suckering underground. IV	. 121	
L. Leathery. Fl. White. Fragra Fr. White berry.	nt like trailing Arl	outus.
young plants		1.5
young plants 2 yr.		.15
4 y1.		.30

Cherrylaurel Balkan Rosaceae Schipkapass L. Large, glossy. Fl. In upright spikes. White fragrant. Fr. Black berry. As this is a cherry or plum, this shrub can stand lime and likes it. 12 to 18 in. 5.00 18 to 24 in. 7.50 PYRACANTHA, coccinea lalandi W. Asia Firethorn Thorny, L. Dark green. Fl. White. Fr. Shiny bright orange from Sept. till Dec. potgrown 12 to 18 in. 2.00 18 to 24 in. 3.00 ---kasan Fr. Bright orange. Heavier fruiting and hardier. potgrown 6 to 8 in. 1.00 8 to 10 in. 1.50 10 to 12 in. 2.00

SANTOLINA, chamaecyparissus Eur.

L. Leathery underside. White hairy.

PRUNUS, laurocerasus schipkaensis

Lavendercotton

Chinese Blackberry

1.00

2.00

Rosaceae

Compositae Almost treated as a perennial, but evergreen branches with green leaves. Persistent all winter. Very low and bushy. Herb with good smell. Fl. Yellow. Small sunflower heads.

Asia

Fl. Pink to purple. Fr. Black. Stems with prickles, creeps and

VI

viridis with green leaves tomentosa with gray yeaves

potgrown

2 yr.

RUBUS, henryi

twines.

young plants

1.00

SARCOCCA			Asia
1 1 .	1 '1'	37 TTT	

hookeriana humilis Buxaceae L. Leathery. Laurellike. Fl. White. Fr. Purplish black. 1.00

TEUCRIUM, chamaedrys Eur. Germander VII-IX L. Small, Fl. Pink. Labiatae Low spreading for edges. young plants .25

VINCA, minor	Eur.	Periwinkle
Groundmyrtle		
Spreading by runners	above ground.	Apocynaceae
L. Shiny. Fl. Blue	IV-V	
—minor a!ba		White Periwinkle
-minor atropurpurea		Purple Periwinkle
young plants		.15
2 yr.		.25
-minor bowles var.		Bowles Periwinkle
young plants		.30
young plants		.00
-minor aurea-variegata		
Golden edges.		
young plants		.30

YUCCA, filamentosa

VII

Liliaceae

L. Swordlike. Blueish-green. Fl. Large lilylike on tall stem.

plant
clump

1.00



VIEW OF NURSERY

ERICACEOUS EVERGREENS

These shrubs are all members of the Heather family, and they demand an acid soil, rich in humus. The type of humus should be such, that by rotting it retains the same acidity, of the leaves chieflly oaks and pine needles, also sawdust and peatmoss. The latter is the best for a weedfree topsoil. Sour soil alone is not the answer, but sour humus will help to let all those fine hairroots penetrate the earth, which would be too hard without the humus addition.

One of the best mulches are the coffee ground, which every american household has as a waste. It looks like peatmoss, spreads evenly, smells good, and has the right amount of acidity for any Rhododendron and Mountain Laurel. Years of experience and testing led me to that conclusion, especially as everybody has the coffeegrounds to dispose of. What more can we ask of a byproduct, which smells good outside of the house, before we even taste it inside.

Abbreviations:

L.-leaves, Fl.-Flowers, Fr.-Fruit, Roman numerals-month of bloom. Eur.-Europe, As.-Asia, Am.-America.

ARCTOSTAPHYLOS,		Bearberry,	Kinnikinnik
L. Glossy green. Fl.		, As.	Ericaceae
potgrown	IV-VII	1	.75 .00
EPIGAEA, repens	Am.	Trai	ling Arbutus

Creeping under shade. Fl. White to pink, Fragrant. pots

Hard to get established.

GAYLUSSACIA, brachycera Am. Evergreen Huckleberry L. Thicker than Bearberry V Box Huckleberry Fl. In racemes. Pinkish with red. Bell-shaped. Fr. Blueish-blackberry. 4 to 6 in.

1.00

1.50

2.00

Hard to get established.

6 to 8 in

KALMIA, latifolia L. Dark. Fl. Pink. From Northern Seed.	V-VI N. Am.	Mountain Laurel Kalmia Ericaceae
12 to 15 in. 15 to 18 in. 18 to 24 in.		4.50 6.00 8.00

LEIOPHYLLUM, buxifolium prostratum Allegheny Sandmyrtle L. Small, round glossy. Am. V Fl. Clusters of white.

LEUCOTHOE, catesbaei N. Am. V Drooping Leucothoe L. Glossy green. In winter Dark purple. Likes shade. Doghobble Fl. Drooping along stem. Ericaceae 12 to 15 in 4.00 15 to 18 in. 5.00

LEUCOTHOE, axillaris, 3'-4' Am. Coast Leucot Similar to catesbaei being more compact in habit and more deable where the space is limited.	
12 to 15 in., B&B 2.40 15 to 18 in., B&B 3.00	
RHODODENDRON, carolinianum L. Rusty green. Fl. Pink N. Am. V-VI	
15 to 18 in. 6.00 18 to 24 in. 7.50	
—carolinianum album V-VI White Carolina Rhododend 15 to -8 in, 18 to 24 in. 2.50 2.50	ron
—catawbiense N. Am. Catawba Rhodend	ron
L. Glossy green. Fl. Violet. 15 to 18 in. V-VI 18 to 24 in. Contact Size 18 to 2.50	
Catawbiense compactum V-VI Compact Catawbiense Rh	od.
—laetevirens VI-VII Wilson Rhododend L. Rusty green, narrow. Fl. Deep pink, small. 9 to 12 in. 5.00	ron
—maximum N. Am. Rosebay Rhododend L. Long, large. Fl. White to pink. From Northern Seed. 4.00 15 to 18 in. VII 4.00 18 to 24 in. 5.00 7.00	ron
—micranthum V N. Asia Manchurian Rh L. Small. Rusty. F. White, small. Indense umbels, many. 18 to 24 in. 7.50	od.
RHODODENDRON, Hybrid seedlings Of own breeding with only hardy parentage, in red, light pur and white colors.	ple
12 to 18 in. 6.00	
HYBRID RHODODENDRON — Named Varieies —album elgans V-VI Pale lavender to white.	
18 to 24 in. 11.00 2 to 2½ ft. 14.00	
—boule de Neige	
Large pure white. Low, spreading. 12 to 15 in. 15 to 18 in. 7.50 10.00	
—caractacus Dark crimson red.	
15 to 18 in. 9.00 18 to 24 in. 11.00	

—catawbiense album Pure white, buds shaded 15 to 18 in,	pink.	0.00
18 to 24 in.		9.00 11.00
Cunningham's White		11.00
15 to 18 in. 18 to 24 in.		9.00 11.00
One of the best reds. 15 to 18 in. 18 to 24 in.		9.00 11.00
—Edward S. Rand A good red. 18 to 24 in.		11.00
—F. D. Godman Dark red.		
18 to 24 in.		11.00
—Ignatius Sargent Light clear red. 15 to 18 in.		9.00
18 to 24 in.		11.00
-Mrs. C. S. Sargent Deep pink		
15 to 18 in. 18 to 24 in.		9.00 11.00
-Roseum elegans		11.00
Pink shaded lilac, changi	ng to pink when	open.
15 to 18 in.		9.00
18 to 24 in. 2 to 2½'		$11.00 \\ 14.00$
PIERIS, floribunda	NI A	
L. Leathery. Fl. White in	N. Am. beautiful long ra IIII-IV	Mountain Andromeda cemes, Ericaceae 5.00 6.00
18 to 24 in.		8.00
—japonica L. Glossy, turning reddis Large white.	Japanese h in winter. Fl. III-V	Mountain Andromeda In drooping racemes.
VACCINIUM, vitis idaea m	ajus	Foxberry, Cowberry
•	V Eur.	Mountain Cranberry
var. Black Forest var. Hannover		Lingon Berry
Resembling the bearberry,	but creeping unde	erground by suckering.
L. Shiny, turning purplish Large edible berry.	in winter. Fl. P	ink bells in May. Fr.
4 to 6 in.		1.00

HARDY SCOTCH HEATHERS AND HEATH

in selected, resistant strains

Abbreviations:

L. leaves, Fl. Flowers, Fr. Fruit, Roman numerals-month of bloom. Eur.-Europe, As.-Asia, Am. America.

CALLUNA, vulgaris Eur. Heather Ericaceae

L. Small, needlelike. Fl. Purplepink.

var. Black Forest VIII

var Nassau var. Swabia

var. Westphalia

White Heather -v alba dumosa VIII

Dense erect growth. The best white.

—v hypnoides Low, mossy growth. Fl. Pink.

Red Heather -v alporti

Dense, erect growth, Fl. Red.

Since most heathers up till now were varieties coming from the western countries of Europe with a definite moist, maritime climate, we lost too many plants during the dry summers and cold winters. For years I collected from the interior and the high mountains of Europe, breeding and selecting here further for our rigorous climate. In order to identify those strains I named them with geographical names of their origin.

ERICA, carnea Spring Heath Eur.

Fl. Pink little bells. III-IV

-carnea vivelli III-IV Purple Heath

L. Purple. Fl. Purple

-tetralix Eur. Cross leaved Heath

VII-VIII L. Grayish green. Fl. Pink. Demands moist, boggy soil.

Cornish Heath -vagans Eur.

L. Light green. VII-IX

Fl. Pink.

VII-IX White Cornish Heath -vagans alba

L. Light green. Fl. White.

All Heathers and Heath.

Young 2 yr, plants 6 to 10 in. 1.00 .50 4 to 6 in.

> 10 to 12 in. 1.50

Other varieties are available, but not as hardy here as the above.

Please order in advance, so they can be potted.

All Heathers and Heaths are evergreens, low, procumbent or bushy shrubs not higher than 18 inches, flowering in erect spikes on the growth of the same season, except the carnea, Spring Heath, which has the buds formed the previous Fall. They demand an acid soil, rich in humus, with good drainage, but enough moisture in summer, not to allow withering , therefore a northern, shaded or underplanting location with partial sunlight. A mulch every Fall with pine needles or oak leaves, boughs for keeping the sun off, will prevent any burning of the leaves during late Winter.

For years only the hardiest types are used in propagation resulting in more resistant strains, fewer in number than a complete list would show, but better in resistance.



IN SUMMER KEEP COOL, TERRACE WITH POOL.

ERICACEAE OR HEATHER FAMILY FOR ACID, SOUR SOIL

Azelea, or correctly Rhododendron and their relatives.

Abbreviations:

L. leaves, Fl. Flowers, I EurEurope, AsAsia,		nerals-month of bloom.
AZALEA, arborescens 10	, Am.	Sweet Azelea
Pink and white flowers.		Ericaceae
Spicy fragrance. Red a	autumn foliage.	
15 to 18 in.		4.50
18 to 24 in.		6.00
—calendulacea 12'	Am.	Flame Azelea
	Fl. VI	
15 to 18 in.		4.50
18 to 24 in.		5.50
—gandavensis 12' Hybrid Azalea with st coppery.	Hybrid nades of yellow to o	
15 to 18 in.		4.50
18 to 24 in.		5.50
—japonica 6'	Asia	Japanese Azalea
Fl. Orangered to brick		ry hardy.
	F!. IV-V	
15 to 18 in.		4.50
18 to 24 in.		5.50
—mollis 5'	Asia	Chinese Azalea
Fl. Golden yellow.	IV-V	
15 to 18 in.		4.50
18 to 24 in.		5.50

—obtusa amoena 3 to 4' Asia Amoena Azalea Almost evergreen. Leaves turn rich purple with frost. Fl. Dark purple. Double hose in hose.

F!. IV-V

12 to 15' 5.00

—obtusa arnoldiana 3 to 4' Asia Arnolds Azalea Almost evergreen. Leaves turn purple with frost. Fl. Dark purple. IV-V

12 to 15 in. 5.00

—obtusa japonica 2 to 3' Asia Kurume Azalea Almost evergreen. Leaves turn purple. Very dwarf and bushy. Low.

Fl. Dark magenta. Fl. IV

6 to 8 in. 1.00 8 to 10 in. 2.00

—obtusa japonica Hinode Fl. Dark red. 12 to 15 in.	giri Fl. V	Hinodegiri Azalea Kurume 5.00
—j. Hinomayo Fl. Soft pink. 12 to 15 in.	F!. V	Hinomayo Azalea Kurume 5.00
—obtusa kaempferi 5' Bright orange flowers. 15 to 18 in.	Asia Fl. V-VI	Torch Azalea 5.00
—obtusa kaempferi othelle Bright brick red. 15 to 18 in.		5.00
—obtusa kaempferi carme Rose-pink. 15 to 18 in.	n Fl. V-VI	5.00
—rosea 6 to 8' Light pink to rosyred. Very hardy. Fragrant b 12 to 18 in.	Am. Fl. V efore leaves.	Pinxterbloom
18 to 24 in.		5.00 7.00
—rosmarinifolia 6' (ledifolia alba) Fl. Large white, Fragran 15 to 18 in,	Fl. V	Snow Azalea
—schlippenbachi 6 to 10' Light pink, rosy. Large flowers. The large. 15 to 18 in.	Asia Fl. IV-V st in the early Azalea sp	Royal Azalea
—vaseyi 6 to 10' Bright pink, before the 15 to 18	Am. leaves and conspicuous. Fl. IV-V	Pinkshell Azalea 5.00
-viscosa 8 to 10'	Am.	Swamp Azalea
Fl. White. Fragrant, spicy. 15 to 18 in.	VI-VII	5.00
—vuykiana Hybrids 3' Johann Seb. Bach. Purple,	Fl. V	Dutch Hybrids
15 to 18 in.	V10101,	6.00
—Franz Schubert Light pink. 15 to 18 in.		6.00
-Wilhelmina Vuyk Ivory white. 15 to 18 in.		6.00

CLETHRA, alnifolia 5 to 7' Am. Fragrant, white spikes of flowers. Good for wet places. Fl. VII-IX 2 to 3'	Sweet Pepperbush 1.50
—alnifolia rosea 5 to 7' Am. Pir Fragrant pink spikes. Fl. VII-IX 2 to 3'	nk Sweet Pepperbush 2.50
—barbinervis 15' Asia Larger than the former, Bark reddish, Peelin Large spikes of flowers, Fl. VII-IX 2 to 3'	Tree Clethra eg. 5.00
ENKIANTHUS, campanulatus 15' Fl. V Asia Clusters of creamcolored, bellshaped flowers foliage in Fall.	Redvein Enkianthus with red veins, Red
2 to 3' LYONIA, mariana 6' Am. Like a blueberry. Fl. V-VI White bells but, Fr. A dry capsule. Fl. In axi	
2 to 3' OXYDENDRON, arboreum 12 to 30' Masses of drooping white racemes. Am. L. Glossy turning to rich purple and red in	3.00 Sourwood Sorreltree Fall. Rather a small
VACCINIUM, corymbosum 6 to 12' Fl. V Am. Masses of bell-shaped white flowers and good berry. Branches often bright red in Winter.	Highbush Blueberry
, , , , , , , , , , , , , , , , , , , ,	
2 to 3' 3 to 4' Also in many cultivated hybrids for larger fr	3.50 5.00 uit.
3 to 4'	5.00 uit. Male berry He-Huckleberry

Fl. IV-V

Korean Azalea

5.00

5.00

-yedoensis poukhanensis 3' Asia

15 to 18 in.

Magenta pink. Very early.

White bells.

2 to 3'

Fl. V-VI

CONIFEROUS EVERGREENS

All evergreens are effective in our planting, should we choose large ones for screening, shade and windbreaks or medium ones for background specimens, sentinels and also for windbreaks. But no foundatian planting is complete without dwarf and low-growing and low-staying types of various greens, blueish greens and textures, which will give broadleaf evergreens and flowering shrubs the real setting and contrast.

Some large and very large specimens are in the nursery, but not listed. They can be selected according special wishes.

Abbreviations:

L. leaves, Fl. Flowers, Fr. Fruit, Roman numerals-month of bloom. Eur.-Europe, As.-Asia, Am. America.

ABIES, concolor 50 to 70' Am.
Beautiful silvery blue needles.

Silver Fir Pinaceae

Very hardy. Does not get spruce galls. Resistant to adverse conditions.

2 to 3' and larger septimens.

8.00

—delavayi 50' Asia

Underside blue. Upperside green.

Delavays Chinese Pine

—nordmanniana 70' Eur., Crimea Nordmanns Fir Slow growing. Very dark green needles. Stately and dense.

2 to 3' 3 to 4'

8.00 12.00

and larger specimens.

—veitchi 70' Asia Veitch's Japanese Fir Underside silvery bluestreaked. Upperside green. Very good grower.

2 to 3'

8.00

and larger specimens.

CHAMAECYPARIS, obtusa filicoides
12' Asia
Fernleaved Hinoki Cypress

Slow-growing with crowded and short branchlets. Cupressaceae 8 to 10 in.

10 to 15 in. 4.00

-- obtusa gracilis nana 10' Asia Dwarf Hinoki Cypress

Compact and dark green. 15 to 18 in.

8.00

18 to 24 in.

10.00

—pisifera aurea 30' 18 to 24 in. 2 to 2½'	Go!den	Sawara Falsecypress 3.00 3.35
—pisifera filifera 15' 18 to 24 in. 2 to 2½'		Thread Falsecypress 4.00 6.00
—pisifera filifera aurea 10' 15 to 18 in. spread 18 to 24 in.	Golden	Thread Falsecypress 4.00 5.00
—pisifera plumosa 30' 18 to 24 in. 2 to $2\frac{1}{2}$ ' $2\frac{1}{2}$ to 3'		Plume Falsecypress 3.35 5.00 6.50
JUNIPERUS, chinensis pfitzeria 15 to 18 in. 18 to 24 in. 2 to 2½' 2½ to 3'	na 6' Asia	Pfitzer Juniper Cupressaceae 5.00 6.25 8.00 10.50
—chinesis pfitzeriana glauca het Blue. Fast growing type of Pfi 15 to 18 in. 18 to 24 in.	zii 6' tzer.	Hetz Juniper 5.00 6.25
—communis suecica 25' Takes the place of the Irish Justines. Loose column. 4 to 5'	Eur. uniper. Is more	Swedish Juniper resistant to heat and 12.00
—horizontalis 1' 18 to 24 in.	Am.	Creeping Juniper 7.00
—horizontalis plumosa 3' Suitable for ground covering. 15 to 18 in. 18 to 24 in. 2 to 2½' 2½ to 3'	Am. Purple winter	Andorra Juniper color. 4.25 5.50 6.25 8.50
—horizontalis douglasi 1' Blue. Creeping. Purpleblue in 15 to 18 in. 18 to 24 in.	Am. winter.	Waukegan Juniper 4.50 5.50
—rigida 30° Loose growth with spreading loosely. 4 to 5°	Asia column. Later	Needle Juniper the branches droop 12.00

—sabina tamariscifo!ia 3' Blueish green. Young grow 12 to 18 in. 18 to 24 in.	Eur. th in needles.	Tamarix Savin Juniper Very desirable 4.00 5.00
—sabina 4'	Eur.	Savin Juniper
Dark green. Upright spread 15 to 18 in. 18 to 24 in. 2 to 2½'	ling.	4.00 5.00 6.00
—squamata meyeri 6' 18 to 24 in. 3 to 4'	Asia	Meyer Juniper 5.00 9.00
—virginiana 30' 3 to 4' 4 to 5'	Am.	Redcedar 5.25 7.50
—virginiana pymidiformis hill Upright. Purple winter col	li 30' or.	Hill's Juniper
2 to 3' 3 to 4'		7.50 7.50
PICEA, canadensis 75'	Am.	White Spruce
2 to 3' 3 to 4' 4 to 5'		Pinaceae 5.50 7.50 10.00
—omorika 50' Narrow growing tree with branches. Underside of need white bands.	chandelier ty	erside with 2 prominent
12 to 18 in. and larger specimens	5.	8.00
—orientalis 75' Smal land narrower needles 12 to 18 in.	Asia than other Spr	Orienta! Spruce
and larger specimens.		8.00
-excelsa 75' 3 to 4' 4 to 5' 5 to 6' 6 to 7' 8 to 10'	Eur.	Norway Spruce 7.00 9.50 11.00 14.00 25.00
—excelsa elegans 15' Compact. Low, dense pyram 10 to 12 in,	Eur. Co	
10 to 12 III.		4.00

PINUS, bungeanea 60' Bark peels. Like on birches. Showing white and green pate		Lacebark Pine Pinaceae
5 to 6' and larger specimens.		18.00
—cembra 70' 5 Needle Pine. Compact grow Silvery green. Slow grower.		wiss Stone Pine Pinaceae
2'		8.00
—montana mughus 12 to 15 in. spread 15 to 18 in. spread 18 to 24 in. spread	Eur.	Mugho Pine 4.00 5.50 7.50
—peuce 20' 5 Needle Pine. Very bushy.	Eur. Compact growth.	Balkan Pine Retaining the
lower limbs, Very slow, Resista		8.00
~	A	
—resinosa 50' 2 to 3' 3 to 4' 5 to 6'	Am,	Red Pine 5.00 7.50 15.00
—strobus 75'	Am.	White Pine
2 to 3' 3 to 4'		4.50 6.00
5 to 6'		10.50
6 to 7'		13.50
8 to 10'		22.00
—sylvestris 50° Blueish green needles. Orange 18 to 24 in. 2 to 3°	Eur. colored bark on old	Scotch Pine der trees. 4.50 5.50
PSEUDOTSUGA, douglasi 70'	Am.	Douglas Fir Pinaceae
2 to 3'		6.00
3 to 4'		7.50
4 to 5'		10.00
SCIADOPITYS, vertici!!ata 60' Japanese evergreen tree. 15 to 18 in.	Asia	Umbrella Pine Taxodiaceae 6.00
TAXUS, canadensis 4'	Am.	Canadian Yew
Light green. Will do well in sl	nade.	Taxaceae
15 to 18 in, spread		3.50
18 to 24 in. spread		5.00

—cuspidata 10' Japanese Spreading Yew. 15 to 18 in. 18 to 24 in. 2 to 2½' 2½ to 3'	Asia	Spreading Yew 6.00 8.50 12.00 15.00
—cuspidata capitata 25' 18 to 24 in. 2 to 2½' 2½ to 3' 3 to 3½'		Upright Yew 7.50 9.50 12.50 18.00
—cuspidata nana 6' 9 to 12 in. 12 to 15 in. 15 to 18 in.		Dwarf Yew 4.00 6.00 7.50
—media 12' 15 to 18 in. 18 to 24 in. 2 to 2½' 2½ to 3'		Hybrid Yew 5.50 8.50 11.00 14.00
		Hatfield Yew 5.00 6.00 8.50 12.00
—media pyramidalis Broad, compact, pyramid. Dark 2 to 2½' 3'	green.	Pyramid Yew 6.50 7.50
—stricta Upright growing branches and former. 2 to 2½'	narrow. N	Narrowbush Yew Jeedles shorter than on 6.50
3' —cuspidata intermedia 8' Spreading, compact type. 2 to $2\frac{1}{2}$ '		7.50 Compact Japanese Yew 10.00
—media hicksi 20' Dark green. Upright. 15 to 18 in. 18 to 24 in. 2 to 2½' 2½ to 3'		Hick's Yew 5.50 7.50 9.50
—media nigra 20' 15 to 18 in.		12.00 6.00

THUJA, occidentalis boothi 4' Am.	Booth Globe Arborvitae Cupressaceae
18 to 24 in.	5.00
 occidentalis douglasi pyramidalis Informal growth, Twisted twigs. 2 to 3' 	ouglas Pyramidal Arborvitae 4.50
—occidentalis ellwangeriana aurea 4' Dwarf, Golden.	Rheingold Arborvitae
—occidentalis nigra 40' Winte	ergreen American Arborvitae
Broad. Upright. Best variety for hedg	
18 to 24 in.	3.50
2 to 3'	4.50
3 to 4'	6.00
4 to 5'	8.50
—occidentalis pyramidalis 20' Am Narrow. Upright growing.	erican Pyramidal Arborvitae
2 to 3'	4.50
3 to 4'	6.00
4 to 5'	10.00
—occidentalis wareana 15' Slow growing, and broad.	Ware or Siberian Arborvitae
18 to 24 in.	4.00
2 to 3'	5.50
3 to 4'	7.00
	Woodward Globe Arborvitae
15 to 18 in.	3.00
18 to 24 in.	5.00
$2 \text{ to } 2\frac{1}{2},$	6.00 7.50
$2\frac{1}{2}$ to 3'	7.30
TSUGA, canadensis 75' Am.	Canadian Hemlock Pinaceae
TSUGA, canadensis 75' Am.	
2 to 3'	Pinaceae
,	Pinaceae 7.50
2 to 3' 3 to 3½' 4 to 5'	Pinaceae 7.50 10.00
2 to 3' 3 to 3½'	Pinaceae 7.50 10.00 15.00
2 to 3' 3 to 3½' 4 to 5' 3½ to 4' 5 to 6'	Pinaceae 7.50 10.00 15.00 12.00
2 to 3' 3 to 3½' 4 to 5' 3½ to 4' 5 to 6' —canadensis compacta 30'	Pinaceae 7.50 10.00 15.00 12.00 18.00
2 to 3' 3 to 3½' 4 to 5' 3½ to 4' 5 to 6'	Pinaceae 7.50 10.00 15.00 12.00 18.00
2 to 3' 3 to 3½' 4 to 5' 3½ to 4' 5 to 6' —canadensis compacta 30' Compact. Slow and dense growing	Pinaceae 7.50 10.00 15.00 12.00 18.00 pyramidal tree.
2 to 3' 3 to 3½' 4 to 5' 3½ to 4' 5 to 6' —canadensis compacta 30' Compact. Slow and dense growing 8 to 10 in. grafts —diversifolia 30' Asia	Pinaceae 7.50 10.00 15.00 12.00 18.00 pyramidal tree. 3.00 Japanese Hemlock
2 to 3' 3 to 3½' 4 to 5' 3½ to 4' 5 to 6' —canadensis compacta 30' Compact. Slow and dense growing 8 to 10 in. grafts	Pinaceae 7.50 10.00 15.00 12.00 18.00 pyramidal tree. 3.00 Japanese Hemlock
2 to 3' 3 to 3½' 4 to 5' 3½ to 4' 5 to 6' —canadensis compacta 30' Compact. Slow and dense growing 8 to 10 in. grafts —diversifolia 30' Asia Slower and lower growing hemlock	Pinaceae 7.50 10.00 15.00 12.00 18.00 pyramidal tree. 3.00 Japanese Hemlock with blueish needles.

—caroliniana compacta 12 to 15' Am. Compact Carolina Hemlock Compact, broad brush without leader.

8 to 10 in.

3.00

—caroliniana 50' 2 to 3'	Am.	Carolina Hemlock
3 to 4' 4 to 5'		12.00 15.00
5 to 6' 6 to 8'		18.00 20.00



OMORIKA SPRUCE

DWARF CONIFEROUS EVERGREENS

ABIES, fraseri horizontalis Sidewise spreading and growing Mountains.	Am. Balsam Fir fr	Spreading Fraser Firom the Great Smoky
10 to 12 in.		6.00
CHAMAECYPARIS, pisifera, Dy	varf blue Asia	Cypress
Thick, Blue, Feathery and very 1 6 to 8 in.		3.00
—pisifera filifera nana Threadlike branchlets. 6 to 8 in.		3.00
—pisifera plumosa aurea nana Small, golden ball of plant. 6 to 8 in.		3.00
—pisifera plumosa compressa Compact, low ball of feathery 6 to 8 in.	green,	3.00
—pisifera plumosa nana Dwarf, low globose bush. 8 to 10 in.		4.00
JUNIPERUS, virginiana reptans Bright green needles. Spreadin 6 to 8 in.		Juniper 3.00
 —virginiana horizontalis Sidewise growing, Brownish gr pollen flowers, 6 to 8 in, grafts 	Am. een. Male plan	nt with many yellow
—horizontalis	Am.	Creeping Juniper
Green needles. 10 to 12 in, runner		4.00
—horizontalis glauca Blue needles.	Am.	Bar Harbor Juniper
10 to 12 in. runner		4.00
—horizontalis douglasi Trailing with steel blue needle 10 to 12 in. runner	Am. es. Turning pa	Waukegan Juniper dle purple with frost. 4.00
—horizontalis plumosa (depressa plumosa) All needles, spiny, blue, turnir 10 to 12 in, runner	ng dark purple	Andorra Juniper with frost. 4.00

PICEA, excelsa maxwelli Compact. Dark green, broad 8 to 10 in.	Eur. clump.	Norway Spruce Maxwells'
—excelsa nidiformis Low, flat, spreading, nestlike 8 to 10 in.	growth.	5.00 Birdsnest Spruce 5.00
—excelsa procumbens Prostrate form, Yellowgreen r 8 to 10 in.	needles.	5.00
—excelsa pumila Depressed, globose form. Dar 8 to 10 in.	k green ne	eedles. 5.00
PINUS, montana mughus Low, compact Alpine pine. 12 to 15 in. spread	Eur.	Mugho Mountain Pine
—sylvestris nana Low, dense brush. Blueish ne 10 to 12 in.	Eur. edles. Orar	Dwarf Scotch Pine
THUYA, occidentalis boothi Bushy, blobose form.	Am. 4	5.00 Arborvitae Booths Globe
12 to 18 in. 18 to 24 in.		4.00 5.00
—ellwangeriama Rheingold 4' Golden, small globose form. 8 to 10 in. 18 to 24 in.	Very dwar	Rheingold f . 3.00 5.00
—occidentialis ericoides 5' Feathery. Slow and low growin 8 to 10 in.	Am. ng bush. B	Heath Ashamita
—occidentialis ericoides nana 2' Feathery. Dwarf and low bush 8 to 10 in.	Am.	Dwarf Heath Arborvitae 4.00
—globosa 3' Round, compact globeform.		Tom Thumb
12 to 18 in. 18 to 24 in.		4.00 5.00
—pumila 3' Small globose form.		Little Gem
10 to 12 in. 12 to 18 in.		4.00 6.00
—woodwardi 3' 12 to 18 in.		Woodwards Globe 3.00

COMPACT CONIFEROUS EVERGREENS

CHAMAECYPARIS, obtusa filicoides 12' 8 to 10 in. 4.00

Dwarf Hinoki Cypress CHAMAECYPARIS, obtusa gracilis nana 10'

Compact and dark green. 8.00 15 to 18 in. 18 to 24 in. 10.00

PICEA, excelsa elegans 15' Eur.

> Compact, low dense pyramid. Slow growing. 4.00 10 to 12 in.

Dwarf Alberta Spruce PICEA, glauca conica 8' Am. Very narrow, compact column. Slow growing. 8 to 10 in. 3.50

4.50 12 to 15 in. 6.00 15 to 18 in.

TAXUS, media varieties See under Taxus.

Yew

TSUGA, Car. Compacta 12 to 15' Compact Carolina Hemlock 3.00 8 to 10 in. grafts



WEEPING OR DOWNWARD GROWING TREES CONIFEROUS EVERGREENS

PICEA, excelsa inversa Eur. Weeping Norway Spruce Strong downward growth. Resistant to ice and snow breakage. Slow growing. 10 to 12 in. 5.00

PICEA, pungens glauca Kosteriana Weeping Blue Spruce (glauca pendula) Strong downward growth. Beautiful blue.

10 to 12 in.

5.00

PINUS, strobus inversa Am. Weeping White Pine Strong downward growth. Resistant to snow and ice damage. Very graceful.

10 to 12 in. 5.00 12 to 18 in. 7.00

TSUGA, canadensis pendula Am. Sargents Weeping Hemlock (Sargentiana)

Graceful, downward growing Hemlock.

10 to 12 in. 7.50 15 to 18 in. 9.00

DECIDUOUS WEEPING TREES

FAGUS, sylvatica pendula 40' Eur. Weeping Beech Weeping and downward growing. Growing to a tall tree with spreading lower branches, grafted low. 2 to 3' 8.00

MALUS, pumila Elise Rathke Eur. Weeping Edible Apple Grafted high on stems 4 to 6' See under Trees.

MALUS, Direktor Th. Echtermeyer Purple Weeping Crabapple (Niedzwetzkyana X Exzellenz Thiel) (prunifolia pendula X floribunda)

Hybrid of the Spaeth Nurseries in Berlin.

Beautiful purple stems. Purple leaves and flowers,

Fr. Golden red with darker cheeks.

Eur.


See under Trees

SALIX, alba vitellina pendula Eur. Golden Weeping Willow Grows tall. See under Trees.

-caprea pendula Eur. Weeping Goat Willow Weeping, downward growing, spreading, trailing with beautiful catkins in spring. Fl. III Grafted low trailing 5.00

Grafted high 3 to 4' 8.00 SORBUS, aucuparia pendula Eur. Weeping Mountain Ash
Downward growing Mountain Ash. Good fall color and orange berries. 8.00

Grafted high 4 to 6'



WEEPING WHITE PINE

DECIDUOUS CONIFEROUS TREES

Since these members of the mostly "evergreens" called family are dropping their leaves, they are listed here separately to avoid confusion.

Abbreviations:

Eur.-Europe, As.-Asia, Am. America.

LARIX, decidua 60' Eur. European Larch
50 to 60 ft. L. Golden yellow in fall. Pinaceae
Very handsome in spring with the new, light green leaves.
5 to 6' 8.00

—leptolepis 50' Asia Japanese Larch
50 to 60 ft.
5 to 6' 8.00

METASEQUOIA, glyptostroboides

80' Asia

Dawn Redwood

Taxodiaceae

Similar to the swamp cypress of the southern borders of rivers, but related to Bigtrees and redwoods of California. This tree is a survivor from the time before the ice age, having persisted in Central China up till our time. It was found in 1945, and has proven extremely good and hardy for us, growing relatively fast into an upright, graceful tree.

2 to 3'
3 to 4'
4 to 5'

7.00
8.00
10.00

TAXODIUM, distichum 50' Am. Bald or Swamp Cypress 5.00

Growing along streams and in water. It will also do well on upland soil, in less exposed places. Graceful and interesting.

Taxodiaceae

MAIDENHAIR TREE Ginkgoaceae

GINKGO, biloba 60' Asia Ginkgo
Famous for its leaves like the Maiednhair fern. Rather related closer to the ferns than to any other family. A remnant of times before the Ice age, only found cultivated in temple grounds in Japan. The female tree has white plumlike berries which when rotting smell offensively. The male tree is to be preferred.

4 to 5' 6.00 5 to 6' 8.00

TREES FOR SHADE AND FLOWERS

Trees for Shade can be combined with trees for Flowering. One expense can cover two demands.

Often the berrybearing and best fall coloring trees can be selected instead of the all too common varieties, and for the same price,

Only the best reliable types are listed for our northern climate. What grows in tough places will always grow in more favorable places better and will flower more and better. Plant the right plant in the right place.

Abbreviations:

L. leaves, Fl. Flowers, Fr. Fruit, Roman numerals-month of bloom. Eur.-Europe, As.-Asia, Am. America.

ACER, palmatum atropur	reum 20' Asia	Bloodleaf Maple Aceraceae
18 to 24 in. 2 to 3' 3 to 3½'		7.50 12.00 15.00
—platanoides 75'	Eur.	Norway Maple
Good street tree. 6 to 8' 8 to 10' 10 to 12' 12 to 14' Larger sizes—hi	gh branched.	7.00 10.00 14.00 18.00
—platanoides columnare		Column Maple
Fastigiate form of Norv 6 to 8' 8 to 10'	way Maple.	9.00 12.00
—platanoides schwedleri	Faassens Black Maple 5	50'
Similar to Crimson Kind 4 to 5' 7 to 8'	ng.	Purple-red Maple 5.00 9.00
—pseudoplatanus 75' 6 to 8' 8 to 10'	Eur.	Sycamore Maple 9.00 12.00
—pseudoplatanus spaethi	-	ed Sycamore Maple
6 to 8' 8 to 10'	Eur.	9.00 12.00

—rubrum 75' Brilliant autumn foliage. Nati	Am.	England.	Red	Maple
6 to 8' 8 to 10'			7.00 10.00	
—rubrum Schlesingeri 75' Grafted plants of the best fa 4 to 5'	Am. ll coloring	Schlesing type.	ers Red 5.00	Maple
—saccharum 75' Brilliant orange foliage in fa	Am.	Sugar (or Rock 7.00	Maple
8 to 10' 10 to 12' 12 to 14'			10.00 14.00 20.00	
—saccharum monumentale 75' Fastigiate form of Sugar Man 6 to 8'	ole.	Columnar		Maple
8 to 10'			9.00 12.00	
—saccharinum 75' 6 to 8'	Am.		Silver 7.00	Maple
AESCULUS, carnea briotii 2 to 3'	Eur. Fl. V		Horse-cl pocasta 9.00	
—hippocastanum 75' Fl. V	Eur.	White 1	Horse-ch	nestnut
AILANTHUS, altissima 75' (glandulosa)	Asia	Т	ree of H	Ieaven
Excellent tree for city condit Large leaves — tropical in ap 6 to 8'	tions. pearance.		Simarul	baceae
			7.50	
ALNUS, glutinosa 75' Tree for wet and swampy lo Fl. catkins from X-IV			ıropean	
Will survive stagnant water a ing bacteria. Seedcones persist 2 to 3' 3 to 4' 6 to 8'	s it grows ent hangin	g for 3 year	ars. 4.00 6.00 7.00	ollect-
8 to 10'		1	0.00 Bignon	iaceae
AMELANCHIER, laevis 35' Fl. 1			Ros	dbush saceae
3 to 4'			4.50	

BETULA, papyrifera	50' Am.	Canoe Birch Betulaceae
The most resistant izes the foliage. 3 to 3'	birch against the	e miner moth, which sceleton-
4 to 5'		5.00
5 to 6'		6.00
CARPINUS, betulus Very tough. Good 4 to 6' 6 to 8'		
—betulus fastigiata 4	0'	Pyramidal Hornbeam 7.50
CATALPA, speciosa	75' F! VII Ar	m. Western Catalpa Bignoniaceae
6 to 8'		6.00
10 to 12' 12 to 14'		8.00 10.00
12 to 14		10.00
CERCIDOPHYLLU	M, japonica 40'	Katsura Tree
One of our finest fine foliage make brown branches an	it ideal for a s	Cercidophyllaceae Upright habit of growth and mall home planting. Its red- winter effect
8 to 10'	te interesting for	10.00
10 to 12'		12.00
CERCIS, canadensis	15 to 20' Am,	American Redbud
Fl. Purple-pink.	Fl. IV	Leguminosae
2 to 3' 3 to 4'	••	5.00 6.00
6 to 8'		9.00
CHIONANTHUS, v	irginica 25' Am. Fl. VI	. White Fringetree Oleaceae
3 to 4'	•	5.00
4 to 5'		7.50
CELTIS, occidentali Growth like Elm t Fr. Red berries.		•
CLADRASTIS, luter	a 50' Fl. VI Ar	m. Yellowwood
Fl. White.		Leguminosae
4 to 5' 5 to 6'		7.00 9. 50
6 to 8'		12.00

CORNUS, florida 25'	Fl. V	Am.	White	Flowering Dogwood Cornaceae
3 to 4' 4 to 5' 5 to 6' 6 to 7'				6.00 8.00 10.00 14.00
—florida rubra 20' 2 to 3' 3 to 4' 4 to 5' 5 to 6'		Am.	Pink	Flowering Dogwood 6.50 9.00 12.50 18.00
—kousa chinensis 20' 3 to 4' 4 to 5' 5 to 6'	Fl. VI	Asia		Chinese Dogwood 6.00 8.00 10.00
CORYLUS, colurna 30'		Eur.		Hazelnuttree
Upright columnar grow stony and rocky soil. Fl.	th. Res	istant t s from	o dry o X-IV .	Betulaceae conditions. Good on
2 to 3' 3 to 4'				4.00
4 to 6'				5.00 7.00
6 to 8'				9.00
8to 10' and taller specime	ens.			12.00
CRATAEGUS, oxyacantha	pauli 20'	Pau!'s	Doub!	
5 to 6' 6 to 7'	20	Eur.		Rosaceae 7.00 10.00
oxyacantha rosea-plena 2 5 to 6' 6 to 7'	0'	Doul	ole Pink	English Hawthron 7.00 10.00
—monogyna 20' Similar to the English H 2 to 3'		Eur. n. Fl. V	Si Vhite.	ngleseed Hawthorn
FAGUS, americana 80'	A	Am.		American Beech Fagaceae
3 to 4'				6.00
5 to 6' 6 to 8'				10.00 15.00
—sylvatica riversi 75' 3 to 4' 4 to 5' 5 to 6' 6 to 7' 7 to 8'	:	Eur.	Ri	10.00 13.50 18.00 22.00 27.00

FRAXINUS, ornus 20 to 30' Eur. Fl. V-VI	Flowering Ash Manna Ash				
Small tree with leaves like the Ash. Fl. Small panicles. White,					
fragrant. For warm protected locations.	•				
2'	4.00				
3'	6.00				
4'	8.00				
GLEDITSIA, triacanthos inermis Moraine The "Moraine" Locust Leguminosae					
60' Am, Pla	ant Patent No. 836				
An improved Honeylocust with a round head tall and vase-shaped when older.	when young, but				
GYMNOCLADUS, dioica 40' Am. K	entucky Coffeetree				
L. Large compound. Fl. Greenish.	Leguminosae				
2 to 3'	3.00				
4 to 6'	5.00				
HALESIA, monticola 40' Fl.V Am.	Silverbelltree				
HALESIA, monticola 40' F!.V Am.	Styraceae				
Beautiful bellshaped flowers, hanging in pr					
branches. Compact, columnar growth.	o o				
2 to 3'	3.00				
TI T/					
—var vestita 40' Fl. V					
Fl. Pink striped. Grafted plants. 2 to 3'	5.00				
2 10 3	0.00				
KOELREUTERIA, paniculata 25'	Goldenrain Tree				
Fl. VII Asia	Sapindaceae				
Long, showy, yellow panicles.	8.50				
5 to 6'	6.30				
LABURNUM, vossi 20' Eur.	Golden Chain				
Long cluster of yellow wistaria-like blossoms.	Leguminosae				
Late spring. Fl. V-VI					
5 to 6'	8.00				
6 to 7'	10.00 15.00				
7 to 8'	13.00				
LIQUIDAMBER, styraciflua 60' Am.	Sweetgum				
~ , -	Hamamelidaceae				
4 to 6'	6.00				
6 to 8'	8.00				
LIRIODENRON, tulipifera 80' Am. Tuliptree					
V-VI	Magnoliaceae				
Greenish- yellow bell-shaped flowers.					
4 to 6'	7.50				
6 to 8'	9.00				

White flowers	irensis 40' in dense	VI uprigh	Asia nt racemes.		Maackia Leguminosae
MAGNOTTA					.00
MAGNOLIA, ma		V-I	Am.	λ	ucumbertree Iagnoliaceae
6 to 8'	creamy wr	nte ar	ter leaves ap	pear. 20.	00
—salicifolia 30' L. Lanceolate, Growth uprigh	narrow. F	l. Wh	Asia ite. Fragrant	Willowlea before lea	af Magnolia aves appear.
3 to 4' 4 to 5'				10. 15.	
—soulangeana 20			Asia	M	er Magnolia agnoliaceae
Blossoms white 2 to 3'	inside and	l lave	nder-pink out	eside.	
—soulangeana ler	mei 20'	\mathbf{V}			
Leaves broader 2 to 3'	. Flowers r	osy-pu	urple outside.	7.	50
—tripetala 40' 3 to 4'		VI	Am.	Umbrell 6.0	a Magnolia
MALUS, almey 2	25'	Fl. V	Hybrid	A	Imey Crab
Large red flower 5 to 6'	ers with wh	ite sta	ars in centers.	Red fruit	
—astrosanguinea 2 A mass of single 4 to 5'	20' I e brilliant	F l. V carmi	Hybrid ine flowers.	Ca 1	emine Crab
5 to 6'				7.0	
-Dorothea 15' Rose pink, Semi	F i-double flo	l. V	Hybrid 2 inches in d	liameter.	
5 to 6'				7.0	0
—floribunda 20' Bright pink and 4 to 5' 5 to 6'	white flow	Fl. V vers, v	Asia with small ye	Flower real llow or real 4.5 6.0	0
—halliana parkma Bright pink sem	ni 15 ' i-double fle		sia on drooping	Park stems.	man Crab
4 to 5' 5 to 6'				6.00 12.00	
—hupehensis 20' Rose-red buds ar 4 to 5'	nd lovely p		Asia white blosson		
5 to 6' 6 to 7'				4.50 6.00 9.00)

—lemoinei A new hybrid with red flower 4 to 5' 5 to 6' 6 to 7'	Hybrid Lemoine Crab s followed by red, cherry-like fruit. 5.00 7.00 9.00
—niedzwetskyana 20'	Redvein Crab of its flowers, branches, leaves and
5 to 6', 6 to 7', 7 to 8', Purple foliage and purple blo	8.00 10.00 12.00 ssoms with dark purple fruit.
—purpurea 20' 5 to 6' 6 to 8'	Purple Crab 6.00 4.00
	e and leaf. Delicate silver on under-
side of leaf. 4 to 5' 5 to 6' 6 to 8'	4.50 6.00 10.00
—pumila Elise Rathke V Weeping growth. Fl. Pink-wh 4' 5'	Eur. Weeping Edible Apple nite. Very handsome. Elise Rathke 6.00 8.00
trees. Ornamental in growth	Weeping Flowering Crabapple Oekonomierat Dir, Theo. Echtermeyer range red. One of the best weeping , in flower and in fruit. Never be- ecessary. Introduced by me in 1934 in Berlin, Germany. Grafted on high for strong or weak growth. 6.00 8.00
—scheideckeri 20' Early flowering. Bright doubt 4 to 5' 5 to 6' 6 to 8'	Scheidecker Crab ble rose-colored flowers. 7.00 8.00 12.00
—spectabilis 15' Large, fragrant, pink, semi-d 5 to 6'	Asia Chinese Flowering Crab ouble flowers, pale yellow fruit. 6.00
OXYDENDRUM, arboreum 12 White flowers in summer. Sca 2 to 2½' 8 to 10' 10 to 12'	to 30' Am. Sourwood

PHELLODENDRON, amu	VI Asia	Amur Corktree Rutaceae
a di pentine sinen.	e. Fl. greenish	yellow. Fr. Black berries.
6 to 8'		8.00
PLATANUS, acerifolia 75' Prefers dry locations. Due Also resistant to the ill efferican and oriental Plane 6 to 8'	st and smoke ϵ fects of paving	. Hybrid between the am-
0 10 0		6.00
-occidentalis 80' Prefers moist locations. 6 to 7' 8 to 10'	Am,	Plantetree or Sycamore Platanaceae 6.00 8.00
POPULUS, nigra italica 60°	' Eur.	Lombardy Poplar
6 to 8'		Salicaceae 3.00
PRUNUS, cerasifera pissard White flowers. Deep maho 6 to 7'	i 20' Asia gany-red foliag	Thundercloud ge all summer. Rosaceae 10.00
—padus commutata Fl. Drooping large raceme 3 to 4'	V Eur. Asi es. White. Bitte	European Birdcherry a Mayday Tree or almond smell. 5.00
—subhirtella Hally Jolivette Semi-double delicate pink open. Wide spread, low l 18 to 24 in.	flowers changi	Hybrid ing to white when fully 2.00
-Single Weeping Cherry	Asia	Call' an T
Drooping form of growth. 5 to 6' 3 year head	Single pink flo	Subhirtella Type owers. 8.00
QUERCUS, borealis 75' (rubra) Our best Red Oak, Fine as fall colors.	Am.	Red Oak Fagaceae in large lawns. Brilliant
6 to 8'		8.00
—alba 75' Red fall-color.	Am.	White Oak
6 to 8'		8.00

—macrocarpa 75' Similar to White Oak, but fruit Red fall-color.	Am. Burr Oak in a mossy cup. Mossy Cup Oak
—palustris 75' Symmetrical in growth. Slende Brilliant purple fall-color. 8 to 10'	Am. Pin Oak er branches hanging when young.
—robur fastigiata 60' Growth like Lombardy popular, persistent through winter. Gra	Eur. Columnar English Oak Very hardy and long-lived. Leaves fted plants.
—robur 75' Similar to White Oak, but f through winter. Short thick true 8 to 10'	Eur. English Oak all-color yellow. Leaves persistent unk.
—coccinea 75° Growing to an open head. L scarlet fall-color. 8 to 10°	Am. Scarlet Oak leaves with large incisions. Bright 15.00
ROBINA, ambigua bella rosea 25 VI Intermediate between Commo	Am. Pink Cascade Leguminosae n black Locust and Clammy Lo-
cust with large pink flowers. My own hybrid since 1935, gro	owing with many suckers. The idea! 7, stony soils and on bankings. 10 n out of the air. In June masses of
2 to 3' 4 to 5'	2.00 3.00
This is the real Golden Weeni	O' Eur. Golden Weeping Willow Salicaceae ng Willow. The hardiest of all better to under Niobe, Babylonian Willow. Inter. Best in early spring. 5.00 6.00 7.00 8.00 9.00
—caprea pendula Weeping, downward growing, catkins in spring. grafted low trailing grafted high weeping	Eur. Weeping Pussy Willow spreading, trailing with beautiful 5.00 8.00

—matsudana tortuosa 30' Asia Contorted	Hankow Willow
Upright growing bushy tree with contorted twister leaves. Very interesting, fast growing trees for any 3 to 4'	location.
4 to 5'	4.00 5.00
5 to 6'	6.00
6 to 8'	7.00
SASSAFRAS, officinale 50'	Sassafras
Stems green L. Shiny, lobed and fragrant. Fl. Y	Lauraceae
Fr. Blue. Very striking red and purple fall-coloring	tellowish, small.
4 to 5'	5.00
Does not like to be transplanted when old. The la difficult.	rge taproots are
SOPHORA, japonica 30' VIII Asia Chines	e Scholar Tree
L. Feathery. Fl. Yellow-cream.	Leguminosae
5 to 6'	10.00
SORBUS, americana Fl. V Am. American More bushy than European Mountain Ash. Brigh 3 to 4'	Mountain Ash t red berries. 3.00
-aucuparia 40' Fl. V Eur. European	Mountain Ash
White flowers and bright red fruit. 5 to 6'	Rosaceae
6 to 8'	7.50
8 to 10'	8.50 10.00
	10.00
—aucuparia pendula Weeping European Weeping form. Grafted high on tall stems.	Mountain Ash Rowan Tree
4'	8.00
STYRAX, japonica 20' Jan	anese Snowbell
Showy white white flowers. Fragrant, drooping.	Styraceae
4 to 5'	6.00
5 to 6'	8.00
SYRINGA, japonica 25' VI-VII	Tree Lilac
Long clusters of white flowers. 2 to 3'	Oleaceae
3 to 4'	2.50 4.00
L. Large. Light green. aflEac hYI3' b ,	4.00
TILIA, americana 75' VI Am. Am	erican Linden
(glabra)	Tiliaceae
L. Large Light green. Fl. Cream. Flowers very fagrant 5 to 6'	
6 to 8'	6.00 8.00
	0.00

—americana fastigiata 75'	Columnar American Linden
Columnar form. Growing 1	ike Lombardy Popular, but long lived
and hardy.	
Grafted plants	5.00
4'	5.00
5 to 6'	6.00

—cordata 90' Yellow-white fragran	V-VI Eur.	Littleleaf Linden Tiliaceae
Fine street or lawn 5 to 6' 6 to 7' 7 to 8' 8 to 10' 10 to 12		6.00 7.00 9.00 12.00 16.00

—cordata pyramidalis 75'	Eur.	Pyramidal	European	Linden
More upright, grafted plants.				
4 to 5'			5.00	

—platyphpllos 75'	Eur.	Large	Leaved	Linden
L. Larger than on cordata.	Darker green.			
3 to 4'			4.00	

—petiolaris 75'	Eur.	Pendant Silver Linden
L. Silvery beneath. Hanging	growth.	
4 to 5'	_	5.00

—tomentosa 40 to 50' Eur. Silver Linden L. Hairy, silvery beneath. Very tolerant to heat, smoke, dust and pavings.

3 to 4' 5.00

ULMUS

All Elms discontinued in account of the dutch Elm disease till methods are found which cure or prevent the disease.



ORNAMENTAL SHRUBS

In compiling this list, care was taken to select only the ones really trustworthy for our northern climate. We have at our disposal the collection of plant life from many continents with similar climatic conditions.

Earlier expeditions and collectors have brought us far ahead, but here at Heatherfells we try to keep available that what has been done before, besides, with the ever constant effort to select and breed further for better and hardier shrubs, this work is preserved and improved.

Of some varieties, due to the difficult problem to propagate them, we have only a few plants, but in order to keep the interested garden lovers informed, they are in the list anyways.

If not available this year, it is always possible to have them the next.

All shrubs as listed are bare-rooted, and packed that way with moisture holding material.

When balling and burlapping becomes necessary, this cost has to be added to the listed price.

Behind the botanical name the height is given in feet for the adult plants.

Figures and abbreviations are as follows:

Eur.-Europe, Asia, Afr.-Africa, Am.-America. L.-Leaves, Fl.-Flower, Fr.-Fruit, Roman Numerals-the month of flowering.

AESCULUS, parviflora 3 to 8'

Fl. VII-VIII Am. Hippocastanaceae
Spikes of white flowers on dwarf rounded shrub. Handsome plant
for a lawn clump.

9.00

4 to 5'

AMELANCHIER, canadensis 20'
Fl. V Am.

Clusters of pure white flowers

Clusters of pure white flowers

Clusters of pure white flowers.

3 to 4'

3.50

AMPORPHA, fruticosa 3 to 4'
Fl. VI Am.

2 to 3'

Indigobush
Leguminosae
2.00

Deep purple flowers. Spreading habit.

ARALIA, spinosa 18 to 20' Fl. VII Am.

A tropical appearing tree. White flowers.

2 to 3'

Hercules-club

Araliaceae

2 to 3' 2.00 3 to 4' 3.00

ARONIA, arbutifolia brilliantissima Fl. V-VI Am. 3 to 4'	Brilliant Chokeberry Rosaceae 2.50
BENZOIN, aestivale 10' Fl. III Am. Yellow flowers. Red berries in fall. 3 to 4' 5 to 6'	Spice Bush Lauraceae 2.00 4.00
Fl. VI Asia Woody shrub, not dying down. Flowers al	Fountain Butterfly Bush Loganiaceae Il along the stem arch-
ing over. Dark purple. 2 to 3'	1.50
—davidii Asia Dubonnet Wine-colored spikes, Fl. VI Clear white Fl. VII-X	Butterfly Bush 1.50 1.50
CALLICARPA, japonica Fl. VII Asia Flowers pink to white. Fruit violet in autu 4 to 5'	Beautyberry Verbenaceae 2.50
CALYCANTHUS, floridus 8' Fl. VI-VII Am.	Common Sweet Shrub Calycanthaceae
Fragrant reddish-brown flowers, 18 to 24 in.	1.50
CARAGANA, arborescens 10' Fl. V-VI Asia Yellow blossoms. 3 to 4'	Siberian Pea Tree Leguminosae 3.00
CARYOPTERIS, Blue Mist 2 to 3' Fl. IX-X 2 to 3'	Hardy Blue Spirea Verbenaceae 1.50
CHAENOMELES lagenaria 10' Asia Fl. V	Floweringquince Rosaceae
18 to 24 in.	1.75
—lagenaria Appleblossom 2 to 3'	4.00
—lagenaria Red 18 to 24 in.	2.00
—Nivalis 2 to 3'	White Floweringquince 3.00

CITRUS see PONCIRUS

CITACS SEE FUNCIAUS		
CORNUS, alba 8 to 10' (sibirica) Bright red bark. Porcelai for winter effects. Very a 18 to 24 in. 2 to 3'	in blue fruits.	Cornaceae
—mas 15 to 18' I Fl. Early before leaves. Yel 2 to 3'	Fl. III Eur. llow in masses.	Fr. Red berry Cornaeae 3.00
—alternifolia, 15 to 18' I Horizontal branches, Blue- 18 to 24 in. 2 to 3'	Fl. V-VI Am. black fruits.	Blue Dogwood 1.50 2.00
COTINUS, americana 30'	Am.	A
Less conspicuous in fruit. and scarlet color in fall.		
3 10 4		3.50
—coggygria 15' L. Green. Fl. Feathery green 3 to 4'	Fl. VI-VII As enish-red	ia Smokebush Anacariaceae 3.00
—c rubrifolius 15' L. Red, purple all summer 2 to 3' 3 to 4'	Fl. reddish,	Purple Smokebush smoke-effect purplish. 4.00 5.00
COTONEASTER, adpressa	praecov Creen	Cotonoactor Poskemen
12 to 15 in. Potted	Asia	Rosaceae 2.50
—dammeri 2' (humifusa) Very low creeping. Potted	Asia	Bearberry Cotoneaster 2.50
-divaricata 6'	Asia	Spreading Cotoneaster
Bright red fruit. 18 to 24 in, B&B 2 to 3' B&B		2.50 3.00
—horizontalis 3' Low, spreading, with brigh	Asia it red fruit.	Rock Cotoneaster
12 to 15 in. Potted 15 to 18 in. Potted		2.50 3.50
—multiflora calocarpa Larger leaves and fruit.	Asia	
4 to 5' B&B —salicifolia 2 to 2½' Potted	Asia	4.50 Willow-leaf Cotoneaster 3.50

CYTISUS see BROADLEAF EVERGREEN SHRUBS

DAPHNE, mezereum 4' Rosy-purple. 15 to 18 in. 18 to 24 in.	F!. III-IV	February Daphne Thymelaeaceae 3.00 4.00
—mezereum album 15 to 18 in, 18 to 24 in.	Fl. III-IV Wh	ite February Daphne 4.00 5.00
DEUTZIA, gracilis 3' White flowers. 15 to 18 in. 18 to 24 in.	Fl. VI	Slender Deutzia Saxifragaceae 1.50 2.25
—gracilis rosea Light pink flowers. 2 to 3'		Pink Deutzia 2.50
—scabra var. Pride of Roc White flowers tinged w 3 to 4'		of Rochester Deutzia 2.50
ELSHOLTZIA, stauntoni Leaves mintflavor. Purp To be cut down in spr 12 in.	le flowers on spikes.	Mintshrub Labiatae .75
EVONYMUS, alatus 10' Corky wings on branche 18 to 24 in. 2 to 3'		Vinged Burning Bush bliage. Celastraceae 2.50 3.50
—alatus compacta 6' 15 to 18 in. 18 to 24 in.	Dwarf W	Vinged Burning Bush 2.25 3.00
EXOCHORDA, grandiflo Large white flowers. 2 to 3'	ra 10' V Fl. V	Pearl Bush Rosaceae 2.00
—giraldi wilsoni 15' Large white flowers.	Fl. V Asia Wilson	n Redbud Pearl Bush Pearl Bush
FORSYTHIA, Arnold De Excellent ground cover 18 to 24 in. spr	Non-flowering.	Forsythia Oleaceae 1.50
-Arnold Giant	Fl. IV-V	
Large. Deep yellow. 3 to 3'		2.50

—Beatrix Farrand Fl. IV-V Another Arnold Arboretum Creation. Vehardy. 2 to 3'		
	2.50	
—intermedia spectabilis 8' Fl. IV-V	showy Border Forsythia	
Abundance of large bright yellow blosson 2 to 3'	ns. 1.50	
3 to 4'	2.00	
—Lynwood Gold 5 to 7' F!. IV-V Erect branches. Golden yellow flowers fro 2 to 3' 3 to 4'		
-ovata Fl. III-IV	Korean Forsythia	
Very early. Amber yellow. 3 to 4'	2.00	
—primulina F!. V	Primrose Forsythia	
2 to 3'	2.00	
3 to 4'	2.50	
—Spring Glory F!. IV-V Large, pale yellow blossoms covering the branches in masses of pleasing colors.		
0 40 97		
2 to 3'	2.00	
3 to 4'	2.00 2.50	
3 to 4' —suspensa fortunei 10' Fl. IV-V Drooping branches. Golden-yellow flowers.	2.50 Fortune Forsthia	
3 to 4' —suspensa fortunei 10' Fl. IV-V	2.50 Fortune Forsthia Large Fothergilla Hamamelidaceae	
3 to 4' suspensa fortunei 10' Fl. IV-V Drooping branches, Golden-yellow flowers. FOTHERGILLA, major 10' Fl. IV-V Spikes of white flowers. Colorful orange and red foliage in the fall. HAMAMELIS, japonica rubra 20' Fl. II-III Asia	2.50 Fortune Forsthia Large Fothergilla Hamamelidaceae	
3 to 4' —suspensa fortunei 10' F!. IV-V Drooping branches. Golden-yellow flowers. FOTHERGILLA, major 10' F!. IV-V Spikes of white flowers. Colorful orange and red foliage in the fall. HAMAMELIS, japonica rubra 20' Fl. II-III Asia Large red flowers like mollis.	2.50 Fortune Forsthia Large Fothergilla Hamamelidaceae Japanese Witch-Hazel	
3 to 4' suspensa fortunei 10' F!. IV-V Drooping branches. Golden-yellow flowers. FOTHERGILLA, major 10' F!. IV-V Spikes of white flowers. Colorful orange and red foliage in the fall. HAMAMELIS, japonica rubra 20' Fl. II-III Asia Large red flowers like mollis. 12 to 18 in.	2.50 Fortune Forsthia Large Fothergilla Hamamelidaceae	
—suspensa fortunei 10' F!. IV-V Drooping branches. Golden-yellow flowers. FOTHERGILLA, major 10' F!. IV-V Spikes of white flowers. Colorful orange and red foliage in the fall. HAMAMELIS, japonica rubra 20' Fl. II-III Asia Large red flowers like mollis. 12 to 18 in. —mollis Fl. II-III	2.50 Fortune Forsthia Large Fothergilla Hamamelidaceae Japanese Witch-Hazel 3.00 Chinese Witch-Hazel	
—suspensa fortunei 10' F!. IV-V Drooping branches. Golden-yellow flowers. FOTHERGILLA, major 10' F!. IV-V Spikes of white flowers. Colorful orange and red foliage in the fall. HAMAMELIS, japonica rubra 20' Fl. II-III Asia Large red flowers like mollis. 12 to 18 in. —mollis Fl. II-III Large fragrant yellow blossoms.	2.50 Fortune Forsthia Large Fothergilla Hamamelidaceae Japanese Witch-Hazel 3.00 Chinese Witch-Hazel Hamamelidaceae	
—suspensa fortunei 10' F!. IV-V Drooping branches. Golden-yellow flowers. FOTHERGILLA, major 10' F!. IV-V Spikes of white flowers. Colorful orange and red foliage in the fall. HAMAMELIS, japonica rubra 20' Fl. II-III Asia Large red flowers like mollis. 12 to 18 in. —mollis Fl. II-III	2.50 Fortune Forsthia Large Fothergilla Hamamelidaceae Japanese Witch-Hazel 3.00 Chinese Witch-Hazel	
3 to 4' suspensa fortunei 10' F!. IV-V Drooping branches. Golden-yellow flowers. FOTHERGILLA, major 10' F!. IV-V Spikes of white flowers. Colorful orange and red foliage in the fall. HAMAMELIS, japonica rubra 20' Fl. II-III Asia Large red flowers like mollis. 12 to 18 in. mollis Fl. II-III Large fragrant yellow blossoms. 18 to 24 in. 2 to 3' 3 to 4'	2.50 Fortune Forsthia Large Fothergilla Hamamelidaceae 3.00 Chinese Witch-Hazel Hamamelidaceae 3.50 5.00 7.50	
—suspensa fortunei 10' F!. IV-V Drooping branches. Golden-yellow flowers. FOTHERGILLA, major 10' F!. IV-V Spikes of white flowers. Colorful orange and red foliage in the fall. HAMAMELIS, japonica rubra 20' Fl. II-III Asia Large red flowers like mollis. 12 to 18 in. —mollis Fl. II-III Large fragrant yellow blossoms. 18 to 24 in. 2 to 3'	2.50 Fortune Forsthia Large Fothergilla Hamamelidaceae 3.00 Chinese Witch-Hazel Hamamelidaceae 3.50 5.00	
3 to 4' suspensa fortunei 10' F!. IV-V Drooping branches. Golden-yellow flowers. FOTHERGILLA, major 10' F!. IV-V Spikes of white flowers. Colorful orange and red foliage in the fall. HAMAMELIS, japonica rubra 20' Fl. II-III Asia Large red flowers like mollis. 12 to 18 in. mollis Fl. II-III Large fragrant yellow blossoms. 18 to 24 in. 2 to 3' 3 to 4'	2.50 Fortune Forsthia Large Fothergilla Hamamelidaceae 3.00 Chinese Witch-Hazel Hamamelidaceae 3.50 5.00 7.50	
—suspensa fortunei 10' F!. IV-V Drooping branches. Golden-yellow flowers. FOTHERGILLA, major 10' F!. IV-V Spikes of white flowers. Colorful orange and red foliage in the fall. HAMAMELIS, japonica rubra 20' Fl. II-III Asia Large red flowers like mollis. 12 to 18 in. —mollis F1. II-III Large fragrant yellow blossoms. 18 to 24 in. 2 to 3' 3 to 4' 4 to 5' —vernalis 6' F!. II-III Fragrant dark red and yellow flowers.	Fortune Forsthia Large Fothergilla Hamamelidaceae Japanese Witch-Hazel 3.00 Chinese Witch-Hazel Hamamelidaceae 3.50 5.00 7.50 9.00 Verna! Witch-Hazel	
—suspensa fortunei 10' F!. IV-V Drooping branches. Golden-yellow flowers. FOTHERGILLA, major 10' F!. IV-V Spikes of white flowers. Colorful orange and red foliage in the fall. HAMAMELIS, japonica rubra 20' Fl. II-III Asia Large red flowers like mollis. 12 to 18 in. —mollis F1. II-III Large fragrant yellow blossoms. 18 to 24 in. 2 to 3' 3 to 4' 4 to 5' —vernalis 6' F1. II-III	2.50 Fortune Forsthia Large Fothergilla Hamamelidaceae Japanese Witch-Hazel 3.00 Chinese Witch-Hazel Hamamelidaceae 3.50 5.00 7.50 9.00	

—virginiana 15' Yellow flowers. 2 to 3' 3 to 4' 4 to 5' 5 to 6'	Fl. X-XI	Witch-Hazel 1.75 2.50 3.50 4.50
HIBISCUS, syriacus 12' Late summer flowering.		Shrub Althea Malvaceae
Named varieties:		
2 to 3 to Anemonaeflorus — D Ardens — Double law Banner — Single wh Boule de Feu — Dou Coelestis — Single bl Pulcherrimus — Dou Rubis — Single red, Snowdrift — Single y Jeanne D'Arc — Do	4' ouble pink, vender, ite with red center, ble red, lue, ble pink, centered c white.	1.75 2.75
HIPPOPHAE, rhamnoide L. Silvery. Stems thorn Persistent. Female and 2 to 3'	y. Fr. Very bright	
HYDRANGEA, arboresce White flowers. 18 to 24 in.	ns grandiflora 4' Fl. VII	Snowhil! Hydrangea Saxifragaceae 2.50
—paniculata grandiflora White flowers turning 3 to 4' 4 to 5'	10' Fl. VIII to rose in fall.	Peegee Hydrangea 2.50 3.50
—quercifolia 6' 18 to 24' 2 to 3'	F!. VI	Oakleaf Hydrangea 4.00 5.00



LARGE HYBRIDS

Z.MOD III DKIDO	
HYPERICUM, aureum 4' Large yellow blossoms. Bluish-green folia 2 to 3' 3 to 4' 4 to 5'	ge. St. Johnswort Guttiferae 1.50 3.50 3.50
ILEX, verticillata Bright red berries in fall. 2 to 3'	Winterberry Aquifoliaceae 1.50
KERRIA, japonica 4' Green twigs. Golden yellow flowers. 2 to 3'	Japanese Kerria Rosaceae 2.50
—japonica fl. pl. 4' Double flowered form of above. 2 to 3'	Double Kerria 2.50
KOLKWITZIA, amabilis 8' Fl. VI Pink bell-shaped flowers.	Beautybush. Caprifoliaceae
LESPEDEZA, bicolor 6 to 9' Fl. VII-IX Tall overhanging stems. Dying back in winter and to be cut to Fl. purple-reddish. 12 in.	Bushclover Leguminosae the ground in spring. 2.00
Creamy flowers. Fl. IV-V 2 to 3' 3 to 4' 4 to 5'	Winter Honeysuckle Caprifoliaceae 2.00 3.00 4.00
—tatarica 10' Fl. V 3 to 4' 4 to 5'	Tatarian Honeysuckle 2.00 2.50
PAEONIA, suffruticosa 3 to 4' Asia (arborea, moutan) Fl. V-VI Upright shrub. Slow growing. Beautiful single. Peony flowers, if double. L. bluish-everywhere	Treepeony Ranunculaceae poppylike flowers, if green. Perfectly hardy

everywhere.
—papaveracea

Fl. Single, large, white with purple blotch at base.

-Reine Elizabeth

Fl. Double. Rose-pink.

-Kurobotan (Negresse)
Fl. Double. Carmine red.

—Seiriu Fl. Single, half-double. White. 8 to 10 in.	5.00
PARROTIA, persica 20 to 30' Asia	Parrotia
Fl. II-IV Shrub simliar to Witch-Hazel. Flowers, sm iant fall-coloring. In spring, leaves with r 18 to 24 in. 2 to 3' 3 to 4'	Hamamelidaceae all. Leaves with brill- red edges. 3.50 5.00 7.50
PHILADELPHUS, coronarius 10' Eur. Large shrub. Fl. VI Broad and arching. Good for shrub border 3 to 4'	Sweet Mockorange Saxifragraceae and screening. 1.50
LEMOINEI HYBRIDS	
—Atlas 5' Fl. VI Very large filowers. Fragrant.	Atlas
—Belle Etoile 5' Fl. VI Fl. With purple blotch in center. Fragran	Belle Etoile
- 2. · · · · · · · · · · · · · · · · · ·	
-Virginale 6' Fl. VI Fl. Half-double. White, very fragrant. Ofte	Virginale
_Virginale 6' Fl. VI	Virginale
 —Virginale 6' Fl. VI Fl. Half-double. White, very fragrant. Ofte —Minnesota Snowflake Very hardy. Double-flowered. Fragrant. 	Virginale en blooming in Sept. Minnesota Snowflake Patent No. 538
—Virginale 6' Fl. VI Fl. Half-double. White, very fragrant. Ofte —Minnesota Snowflake Very hardy. Double-flowered. Fragrant. 3 to 4' ALL HYBRIDS: 2 to 3'	Virginale on blooming in Sept. Minnesota Snowflake Patent No. 538 2.00 1.50 2.00 ardy Orange & Lemon Rutaceae leaves, 3 or 5 lobed. the hardy relative of
—Virginale 6' Fl. VI Fl. Half-double. White, very fragrant. Ofter —Minnesota Snowflake Very hardy. Double-flowered. Fragrant. 3 to 4' ALL HYBRIDS: 2 to 3' 3 to 4' PONCIRUS, trifoliata 6' Fl. IV Asia Half (Citrus trifoliata) Thorny shrub with green stems. Shiny Fr. Yellow walnut size. Fragrant. This is Orange and Lemon, Hardy enough for the sign of	Virginale on blooming in Sept. Minnesota Snowflake Patent No. 538 2.00 1.50 2.00 ardy Orange & Lemon Rutaceae leaves, 3 or 5 lobed. the hardy relative of as to be listed. 2.00 3.00 Shrubby Cinquefoil Rosaceae
—Virginale 6' Fl. VI Fl. Half-double. White, very fragrant. Ofter —Minnesota Snowflake Very hardy. Double-flowered. Fragrant. 3 to 4' ALL HYBRIDS: 2 to 3' 3 to 4' PONCIRUS, trifoliata 6' Fl. IV Asia Half-decomposition of the composition	Virginale on blooming in Sept. Minnesota Snowflake Patent No. 538 2.00 1.50 2.00 ardy Orange & Lemon Rutaceae leaves, 3 or 5 lobed. the hardy relative of as to be listed. 2.00 3.00 Shrubby Cinquefoil Rosaceae

10 to 12 in.

2.00

PRUNUS, glandulosa 5' Fl. V Asia Double pink flowers. 18 to 24 in, B&B	Rosaceae
—glandulosa sinensis 5' Double White Flow Fl. V Asia	vering Almond
—subhirtella Hally Jolivette 12 to 15' From the Arnold Arboretum, Very desirable pink- Fl. Semi-double. Fl. V 18 to 24 in.	Hally Jolivette flowering.
—tomentosa 8' Fl. IV Asia Na Pink to white flowers in early spring, Edible fruit. 2 to 3'	2.00
—triloba plena 8' Fl. IV Asia Double Fl. Large double pink flowers in early spring. 2 to 3'	owering Plum 2.50
PTELEA, trifoliata 10 to 12' Fl. VI Am. Has clusters of fruit that look and smell like hops. 3 to 4'	Hop Tree Rutaceae
ROBINIA, hispida 6' Fl. V-VI Am. Fl. Rosy-pink, like Wistaria. Stems airy and sticky. 18 to 24 in.	Roseacacia Leguminosae 2.00
—Margaretta 5' Fl. VI Am. (pseudacacia X hispida) I Fl. Light pink. Stems slightly glandular. Pod rough 18 to 24 in.	Margaretta Hybrid Locust 2.00
—viscosa X pseudacacia, ambigua bella rosea 15 to 20' Am. Half tree, half shrub. Fl. VI Producing many suckers. Good for slopes and poor hybrid. Stems slightly sticky, scarcely with spines. light pink in many drooping clusters appearing Wistaria.	Fl. Large and like a pink
12 to 18 in, 18 to 24 in. 2 to 3' 4' 6 to 8'	1.00 1.50 2.00 3.00 6.00

PYRACANTHA see BROADLEAF EVERGREEN SHRUBS

RHAMNUS, frangula 8 to 9'	Glossy Buckthorn	
Fl. V-VII Eur. Stems reddish-purple. Flowers and fruit Fr. Black berry. 3 to 4'	Rhamnaceae at the same time 2.00	
RHAMNUS, cathartica 10' Fr. Black. Eur. 3 to 4' RHODOTYPOS, kerriodes 6' Fl. V-VI Asia Large white flowers. Shiny black fruit. 2 to 3'	2.00 Jet Bead Rosaceae 2.00	
RHUS, aromatica 4' Am. Aromatic leaves. Scarlet foliage in autumn. 3 to 4' 4 to 5'	Fragrant Sumac Anacardiaceae 2.00 3.00	
RHUS cotinus see COTINUS —typhina laciniata 12 to 15' Am, Cutleaf form of the Staghorn Sumac, Finely cut leaves. Fr. Red in fall. 18 to 24 in.	Shredded Sumac Anacardiaceae 3.00	
ROSA, hugonis 6' Fl. V-VI Asia Single yellow flowers. 2 to 3' 3 to 4'	Hugo Rose Rosaceae 2.25 3.50	
—multiflora thornless Fl. V Asia Thornless Japanese Rose Branches climbing or trailing. Flowers fragrant, white, often		
double. 2 yr. plants	.45	
—lucida 4 to 5' Fl.V Am. (virginiana)	Virginia Rose Rosaceae	
Fl. pleno Double form of the wild Virginia Rose Double Rose		
Pink flowers. 2 to 3'	2.50	
RUBUS, ordoratus 5' Fl. VI-VIII Am. Flowering Raspberry Stems sticky, with many suckers. Rosaceae Leaves large, like a raspberry. Fl. Many, pink and all summer.		
Red small raspberry. 12 to 24 in.	1.00	

PUSSYWILLOWS

Salicaceae

Remarkable shrubs for early flowers, for early forcing in the house and flower stems all winter. Some of the varieties are striking with their red, reddish and purple stems, also with blueish bloom. All winter the stems stay reddish. The male plants are best. The pollen bearing flowers have that rich yellow color. A few are also beautiful as female plants,

SALIX, acutifolia 12' Fl. III Asia, Eur. Caspian Borer resistant. Violet-brown stems. Conspicuous in winter, with blueish bloom. L. Lanceolate. 2.00 3 to 4' male plants

Fl. III Afr. Egyptian Pussywillow —aegyptiaca Simliar to the caprea. Goatwillow. 2.00 3 to 4' male plants

Fl. III Eur. Goat Willow -caprea 20' Subject to borers. Very handsome and with large catkins. 3 to 4' male plants

Weeping Pussy Willow Fl. III Eur. -caprea pendula 2' Weeping Goat Willow Weeping, downward growing. Spreading, trailing with beautiful catkins in spring. grafted low trailing 5.00

Fl. III Asia, Eur. Daphneleaved -daphnoides 30' Pussywillow Borer resistant. Bloom Willow Stems brownish-red with blueish bloom. Long, beautiful, reddish stems. 2.00 3 to 4' male plants

-daphnoides ruberrima 12' Fl. III Eur. Redtwig Pussy Willow Borer resistant. Stems bright red, with blueish bloom which disappears, leaving the red. 2.00 3 to 4' male plants

-daphnoides pomeranica Fl.III Eur. Pomeranian Pussywillow Borer resistant. Violet reddish stems. Blueish bloom. Large catkins. Stems bright in winter.

2.00 3 to 4' male plants Rosegold Pussywillow gracilistyla 3 to 4' Fl. III Asia Beautiful little shrub with colorful catkins. Very early.

2.00 3 to 4' -erdingeri (daphnoides X caprea) 20' Pussywillow Fl. III Eur. Border resistant 2.00

Fl. II-III Asia Armenian Willow -medemii One of the earliest to bloom, 2.00 3 to 4' male plants

3 to 4' female plant

—purpurea 12' Fl. III Eur. Branches purple first, later gray-olive. 3 to 4' male plants		Purple Osier	
		2.00	
—purpurea nana garcilis 3 to 4' Small narrow leaves. Dwarf Eur.		Globe Willow	
Very fine slender, uprigh 12 in.	t growth.	1.00	
SAMBUCUS, canadensis 1: Clusters of white flowers. 2 to 3' 3 to 4' 4 to 5'	2' Fl. VI-VII Am. Purple-black frui	American Elder t Caprifoliaceae 1.75 2.50 3.00	
Growing smaller than E	Fl. IV-V Eur. lderberry. Fl. Larg	Redberried Elderberry ge umbels, White.	
Fr. Red. 12 to 18 in.		1.50	
SHEPHERDIA, argentea 15' Fl. III-IV Am. (Lepargyraea) Silvery stems. Silvery leaves. Fl. Yellowish. Small, fragrant. Fr. Red berry.			
3 to 4'		3.00	
SORBARIA, aitchisonii 8' Fl. VII-VII Asia Kashmir False Spirea Rosaceae Stems reddish. Fl. In large panicles. Many suckers, good for under			
trees. 3 to 4'		2.50	
—sorbifolia 7' Spikes of white blossoms 3 to 4'		Ural False Spirea Rosaceae 2.50	
SPIRAEA, bumalda antho: Rosy carmine. 18 to 24 in.	ny waterer 3' A Fl. VI-VII Asia	nthony Waterer Spirea Rosaceae 2.00	
—bumalda froebeli 3' Bright crimson flowers. 2 to 3'	Asia	Froebe! Spirea 2.00	
—prunifolia plena 6' White flowers.	Fl. IV-V Asia	Double Br!dal Wreath	
3 to 4' 4 to 5'		2.50	

—trichocarpa 5 to 6' Later flowering than stems with many flow flowers.	any other spring S	Korean Spirea pirea. Drooping long g. Very showy white	
2 to 3' 3 to 4' 4 to 5'		1.00 1.50 2.00	
—thunbergi 6' White flowers, 2 to 3'	Fl. IV-V	Thunberg Spirea	
-van houttei 8' White flowers, 2 to 3' 3 to 4'	Fl. V-VI	Van Houtte Spirea 1.50 2.00	
STAPHYLEA, trifolia 8' Good under trees, Interesting for its small 2 to 3'		Bladdernut Staphyleaceae ad blownup fruit. 2.00	
SYMPHORICARPUS, ch 18 to 24 in. —chenaulti 4' Pinkish fruit. 2 to 3'	nenaulti Hancocki 3' Am.	Dwarf Coralberry 4.00 Coralberry Caprifoliaceae 1.50	
STEWARTIA, pentagyna (ovata) 12' Mountain Stewartia Fl. VI-VII Am. Theaceae This is a deciduous Camellia with the flowers like it, white with purple stamens. Fall coloring purple, very dark.			
SYMPHORICARPUS, ch Dwarf form of the pre- ing.	nenaulti Hancocki 3' evious from Canada.	Spreading and creep-	
12 in. —racemosus 6' Pale pink flowers in su 3 to 4'	Fl. VI-X Am. mmer, white fruit in	2.00 Common Snowberry autumn. 2.00	
SYMPLOCOS, paniculata White fragrant flowers. 2 to 3' 4 to 5'	n 10' Fl. VI Asia	Sapphireberry Symplocaeae 2.50 6.00	
SYRINGA, josikaea 15' Pale violet blossoms. 4 to 5' 5 to 6'	Fl. V-VI Eur.	Hungarian Lilac Oleaceae 4.00 5.00	

—persica 10'	Fl. V Asia	Persian Lilac
Pale lilac. Fragrant. 3 to 4' 4 to 5'		2.00 2.75
—vulgaris	Fl. V Eur.	Common Lilac
Purple shades. 2 to 3'		2.00
3 to 4' 4 to 5'		3.00 4.50
—vulgaris alba 15'		Common White Lilac
2 to 3'		2.25
3 to 4'		3.25
4 to 5'		5.00

HYBRID LILACS

(Called French Hybrid Mostly)

SINGLE

Andenken and Ludwig Spaeth Dark winered. Large. Bleuatre Blue, small. Charles X

Dark winered. Smaller than L Spaeth.

Congo

Dark red. Large.

Lucie Baltet Flesh pink.

Macrostachya Pink.

Mme. Florence Stepman White. Heavy panicle.

Reaumur

Bud light carmine. Fl. Lilacpurple.

Ruhm von Horstenstein

Bud dark red. Fl. lightlilac. Heavy panicle.

Volcan

Bud dark red, carmine. Fl. purple.

DOUBLE

Charles Joly Dark wine red.

Edith Cavell

White. Low growing. Katherine Havemeyer

Very large. Light blue with reddish lilac.

Leon Gambetta

Bud lilac. Fl. Pink-lliac.

Michel Buchner

Bud reddish-orchis, Fl. lightlilac.

Mme. Lemoine

Ivory white. Upright growth.

Pres Carnot

Bud light carmine. Fl. Bluepurple.

Pres Grevy

Bud light red. Fl. Blue-purple.

Waldeck-Rousseau

Rosy-lilac.

All lilacs:

4.00
6.00
9.00
12.00

TAMARIX, amurensis 15' Fl. VII-IX (pentandra) Dense racemes of pink flowers with large panicles. 2 to 3' 3 to 4'	Tamarisk Tamaricaceae 2.00 2.50
—gallica 8 to 9' Fl. VI-VII Eur. Fr Feathery foliage. Many pink flowers in dense racemes. 3 to 4'	ench Tamarisk Tamaricaeae 2.50
TRIPTERYGIUM, regeli Fl. VI-VIII Asia Regels	Threewingnut Celastraceae
Stems arching over and climbing. Rather a climbi Fl. Yellowish-white in long terminal racemes. Fru 10 to 12 in.	ng shrub
VIBURNUM, burkwoodi 6' Fl. V-VI Asia Waxy blush-white flowers. 18 to 24 in. B&B	voods Snowball Caprifoliaceae 4.50
—carlesi 5' F!, IV-V Asia Korean Fragrant, waxy,pink flowers. 15 to 18 in. B&B 18 to 24 in. B&B 2 to 2½' B&B	3.50 4.50 6.00
—juddi 4' Fl. V Asia Similar to carlesi and burkwoodi. Pink and fragant shrub. 18 to 24 in.	Judds Snowball flowers. Small 4.50
—lantana 10 to 12' Fl. V-VI Eur. V Gray-green foliage. Flowers in white umbels. Frui changing from red to black. 2 to 3'	Vayfaring Tree t purple-black,
—tomentosum 8' Fl. V-VI Asia Double 3 to 4' Flowers white. Fruit red turning blue-black.	file Virburnum 2.50
2 to 3' B&B 3 to 4' B&B	3.00 4.00
—tomentosum mariesi 2' Fl. V-VI Asia More conspicuous large creamy-white flower cluster turning blue-black.	
2 to 3' B&B	3.00

—tomentosum plicatum 9' Fl. V-VI Asia Round heads of white flowers. 2 to 3' B&B	Snowball Virburnum 3.00
VITEX, macrophylla 33' Fl. VIII-IX Broad leaves. Lavender flowers. 2 yr.	Chaste-tree Verbenaceae 2.00
WEIGELA, Florida candida 6' Fl. V-VI Asia Showy white blossoms. 3 to 4' 4 to 5'	Snow Weigela Caprifoliaceae 2.00 2.50
-Eva Rathke 2 to 3' Fl. VI	Dwarf Crimson Weigela 1.75
—Florida Newport Red Fl. V-VI Crimson, hardier than Eva Rathke. 2 to 3'	Newport Red Weigela 1.75
—Florida rosea 8' Fl. V-VI Pink flowers. 2 to 3'	Pink Weigela 1.50
XANTHORRHIZA, apiifolia 3' Am. Finely cut leaves. Purplish flowers. Likes damp shady locations.	Yellowroot Ranunculaceae



VINES AND CLIMBING PLANTS

The average garden is seldom complete if it lacks the finishing touch of a vine to soften an unsightly arborway or fence corner. Nothing in the plant realm provides a more rapid cover for harsh stone or brick walls, and the combination of flower, fruit and ornamental fall foliage compels their use somewhere in the landscape theme.

Abbreviations:

L. leaves, Fl. Flowers, Fr. Fruit, Roman numerals-month of bloom. Eur.-Europe, As.-Asia, Am. America.

ACTINIDIA, kolomikta Fl. V Asia Kolomikta Silver Vine
Dilleniaceae

Strong growing vine with leaves heart-shaped at base and besides the green with blotches of white and pink. Very ornamental and peculiar. Fr. Green to blueish, sweet.

2 yr. 5.00

Will grow in shade.

AKEBIA, quinata Asia Five-leaf Akebia
Will grow in shade.
3 yr.
Lardizabalaceae
1.75

AMPELOPSIS, heterophylla Asia Porcelain Ampelopsis
Blue, lavender and white fruit. Vitaceae
3 yr. 1.25

ARISTOLOCHIA, sipho Am. Dutchman's Pipe Makes a very dense screen. 2 yr. Aristolochiaceae 1.50

CAMPSIS, radicans
Orange flowers.

Am.
Trumpet Creeper
Bignoniaceae

CELASTRUS, scandens Am. American Bittersweet
Orange and scarlet fruit.

3 yr.

American Bittersweet
Celastraceae
1.75

CLEMATIS, montana rubens 20'

Fl. V-VI Asia Ranunculaceae

Flowers pink, with yellow stamens.

3 yr.

3.50

—vitalba Fl. VII-IX Eur. Travellers Joy Fast climber. Fl. 1½ in. wide. White and with the fragrance of Almonds. Fruit and seeds in feathery bunches. Persistent into winter.

3 yr. 2.00

—paniculata Fragrant white flower.	Fl. IX Asia	Sweet	Autumn Clematis
3 yr.			1.25
CLEMATIS, HYBRID	Asia		
— Jackmani Velvety purple.			3.50
—Jackmani alba White.			3.50
—Lawsoniana Blue flushed mauve, lon	ng blooming peri	od	3.50
—Ville de Lyon Carmine-red.			3.50
EUONYMUS — See EV Climbing Varieties.	ERGREEN SHI	RUBS	
HEDERA, helix — See	EVERGREEN S	HRUBS	English Ivy
HYDRANGEA, petiolaris Fragrant white flowers		Cli	mbing Hydrangea Saxifragaceae 3.50
LONICERA, halleana Fragrant creamy flower 2 yr.		H	Iall's Honeysuckle Caprifoliaceae .75
—heckrottii Flowers purple outside	Fl. VI-IX, yellow inside.	Hy	brid Heckrotts H.
2 yr.			1.25
—tellmanniana L. Dark green. In spri umbels.	Fl. V ing, olive-brown.		rid Tellmanns H. den-yellow. Large
PARTHENOCISSUS, qu	inquefolia Fl. VII-VIII A	m.	Woodbine Vitaceae
Scarlet foliage in autur 3 yr.	nn.		1.25
—tricuspidata Handsome dark green	Fl. VI-VII	n autum	Boston Ivy
Handsome dark green : 3 yr.	Tomase, Turpic I	. autuill	1.00
POLYGONUM, auberti Fragrant greenish-whit 2 yr.		a Cl	Polygonaceae 1.50

TRIPTERYGIUM, regeli Fl. VI-VIII Asia	Regels Three
Small climber or arching shrub.	Threewingnut
Fl. Yellowish-white In long terminal racemes.	Celastraceae
Fruit with wings.	
10 to 12 in.	2.00

WISTARIA, multijuga Fl. V Asia	Longcluster	Wistaria
,Long clusters of violet-blue flowers.		
4 yr., grafted	5.00	
—multijuga alba	White Longcluster	Wistaria

4 yr., grafted 5.00

HEDGES

Privet and barberries can be supplied. They have to be ordered early and ahead of time.

ROSES

All leading varieties can be supplied or ordered. Some are on hand and can be delivered on order. Since each year new varieties are offered, it is beyond the scope of this catalogue to list them. We are in constant contact with all leading rosegrowers about the development of new varieties.

FRUIT TREES

All leading varieties are grown here, mostly on dwarf understock. Consultation about the best for our locality and your demands. Apples, Pears, Plums, Peaches, Cherries, Quinces are on hand all the time.

SMALL FRUITS BLUEBERRIES

One of the best sources of fruits is the Highbush Blueberry. They prefer acid soil, which is everywhere in New England. 2 varieties should at least be planted for pollination.

	Ripening
Concord, large	VII
Jersey, very large	VII
Pioneer, sweet	VI-VII
Rubel, firm	VI-VII
Stanley, very large	VII
2'	4.00
3'	6.00

CURRANTS and GOOSEBERRIES

These fruits can be grown only where White Pines are not near, or at least 1000 ft. away. In timber-growing forest areas, where the White Pine is the producing factor, it is forbidden to grow these fruits. Inside of towns and in built up areas it is safe.

GOOSEBERRIES

Hybrids of european varieties, very large and sweet.

Red
Green, smooth
Green, hairy
White-green

Red
Triumph, London
Smaragd
Green Flask
White Triumph

CURRANTS

Red White	Red Holland, Red White Holland, White	
2 vr.		1.50
3 yr.		2.50
Tree form of currants	in limited quantity.	
3' high grafts		5.00

HERBS

ALLIUM, scheonoprasum	C	Chives
ARTEMISIA, dracunculus	Tar	ragon
CHRYSANTHEMUM, balsamita	Cost	tmary
MENTHA, piperita	Peppe	rmint
spicata	Spea	ırmint
rotundifolia	Appl	lemint
NEPETA, cataria	C	Catnip
ORIGANUM, vulgaris		joram ennial
RUTA, graveolens		Rue
SATUREIA, montana	Winter S	Savory ennial
THYMUS, vulgaris —citriodorus All Herbs: plant	Lemon 7	Γhyme Γhyme

CACTUS varieties, CACTACEAE

for the north, entirely hardy outside

It is possible to grow many beautiful species and their varieties outside without cover, protection or special care.

For many years I have collected and assembled every possible cactus. Since the cactus family is the truly american plant-family, in no other continent are any members in the wild state, we find species of this family from the far north of Manitoba, Saskatchewan through the Rocky Mountains, Central America, South America as far as Patagonia.

The cactus-plants, one grows in pots in houses, are native of low altitudes and warm climates, but we must not forget that we can grow the natives of high altitudes and cold regions in our gardens outside.

Naturally in winter they look unsightly perhaps, shrivelled, which they must, in order to withstand the low temperatures as far as — 30F. But in June and July those plants will flower with splendor, without fertilizer and care, without topsoil, rather in poor soil. There are no leaves, the stems have taken over the work, they are called joints. The spines can be numerous or lacking, but even the spines vary in color, which often blends with the different green of the joints and with the stones and gravel underneath.

Every species and variety has been under observation for many years withstanding all winters and summers. I have tried to collect all available Opuntia family members, eliminating duplication of names and synonyms, from sources in the Americas and from the collection of species and hybrids in Germany, where Spaeth had done breeding work since 1890, of which much has been lost, and also of Haage & Schmidt.

Abbreviations:

L. leaves, Fl. Flowers, Fr. Fruit, Roman numerals-month of bloom. Eur.-Europe, As.-Asia, Am. America.

OPUNTIA, camanchica VI Prickly Pear Cactus Joints large. Bristles and spines yellow. Colo., Tex., Ariz., Mex.

Fl. Yellow on outside, yellowish-green.

—camanchica longispina VI Fl. Light-yellow, turning brownish.

—camanchica major VI

Joints very large, oval. Fl. Light yellow. Brownish center. Pink stamens.

—camanchica rubra VI
Joints large, thinner, oval. Spines fewer. Fl. Reddish-brown, on edges and outside carmine.

fragilis

Joints small, compressed.

Bright green. Bristles as whitish wool. Spines dark brown. Fl.

Yellow-greenish.

—fragilis x humifusa, Smithwick Hybrid

VI Hybrid from South Dakota

Joints larger than the former, but joints thicker than humifusa.

Fl. Yellow.

—humifusa, (rafinesquii VI-VII

Joints dark green. Minn. to Kent., Mo. to La. Tex., N.M.

Bristles reddish-brown. Fl. Yellow, sometimes with reddish center.

—humifusa cymochila VI-VII

Joints long and broad, thinner light-green. Fl. Light yellow, with greenish sheen.

—humifusa, Apache hybrid South Dakota Spine strong. Reddish and erect. Fl. none. Sterile hybrid.

—imbricata (arborescens) Tree Cactus
Joints round-ribbed. Taller growing. Fl. Purple-red.
New Mexico, Arizona

—polyacantha (missouriensis) V-VI Spiny prickly Pear
British Alberta, N. Dak., Okla., Tex., Utah
Joints Light green. Spines large, strong. Fl. Yellow, very silky.

—polyacantha lemon V-VI Fl. Bright lemon.

—polyacantha orange V-VIFl. Orange. Darker center.

—polyacantha carmine V-VI

—polyacanta brachyclada V-VI Joints shorter. Spines whitish. Fl. Golden yellow.

—polyacantha pachyclada rosea Joints rounder. V-VI Fl. Pink to rose.

--polyacantha spirocantha V-VI
Joints large. Spines twisted, Fl. Golden with darker center.

-Rafinesquii, see humifusa

—pollardi VI Dakota
Joints small. Bright green. Fl. Yellow with flash of scarlet.

- ---rodantha (utahensis) VII Nebr. Colo. Utah Joints deep green. Bristles reddish-brown. Fl. Carmine red. Silky.
- rodantha pisciformis VII
 Fl. Light carmine with deep red stamens.
- -rutila VII Wyo., Utah, Ariz., Cal. mts. Fl. Pink to red. Silky.
- —vulgaris VI East. N. Am., Mass., along coast to Ga., Fla.

Joints light green. More or less without spines. Bristles fine. Yellowish. Short. Fl. Pale yellow.

The following are of the Hedgehog Cactus Type:

CORYPHANTHA, vivipara VI Hedgehog Cactus (Mammillaria vivipara) Man., Brit. Alb., to Minn. Colo., Kansas Little ball, 3 to 5 in. high. Fl. Purple. Fr. Green.

NEOBESSYA, missouriensis VI S. Dak. to Kans., Colo., and Tex.
Little ball, 3 to 4 in. high. Fl. Yellow. Pale orange. Fr. Red.

See my article on hardy cactus in "Horticulture." June 1954

All Cactus plants

1.00



OPTUNIA IN LEDGES

HARDY HERBACEOUS PERENNIALS

Varieties marked * are suitable for rock-gardens. Each Plant: .50 — Unless Otherwise Specified

ACONITUM, Fischeri 2 to 3' IX-X Spikes of large, dark blue flowers.

—Sparks' Variety. 5 to 6' VI Blue.

AJUGA Bugle Plant

—* genevensis alba. 6in. V-VI White.

--* genevensis rosea. V-VI

—* reptans, 6 in. V-VI Blue flowers.

ALYSSUM Basket of Gold

—* saxatile compactum. 1' IV-V Showy masses of yellow flowers. (3 in. pots)

—* saxatile citrinum. Lemon colored.

ANCHUSA Alkanet

—Myosotidiflora, 1 to 1½' IV-V Bright blue flowers.

*ANEMONE Japanese Anemone

—hupehensis splendens. 1½' Pale mauve flowers. (2½ in. pots)

---* pulsatilla, 8 to 12 in. IV-V Pasque-Flower Lilac purple.

—* pulsatilla rubra.

Dark red form.

AQUILEGIA Columbine

—alpina superba. 12 in. IV-V Deep blue. Strong grower.

-* canadensis. 1½' V-VI Red and yellow.

-Long-spurred Hybrids, 2 to 3' V-VI Mixed. Fine for cutting. ARABIS Rock Cress -* alpina. 5 in. IV-V Gray-green foliage. White flowers. (3 in. pots.) *ARENARIA (Sagina) -Verna caespitosa. V-IX Moss Sandwort Mossy cushion. White flowers. ARRHENATHERUM, bulbosum Eur. Variegated variegatum French Raygrass Little tufts of yellow stripes. 1.00 ASCLEPIAS, tuberosa. 2 to 3' **Butterfly Plant** Brilliant orange scarlet. VII-IX ASTER, amellus 1 to 2' VIII Summer Aster Light blue. -* alpinus VIAlpine Aster Low and bushy. -* alpinus albus VIWhite Alpine Aster Clear white flowers -novae belgiae 2 to 3' New York Aster Michaelmas Daisy -Aurore \mathbf{X} Rose pink. -Archbishop \mathbf{X} Large flowers. Blue. -Blue Eyes \mathbf{X} Clear blue. -Royal Blue Dark blue. -dumosus dwarf hybrids 12 to 18 in. Dwarf Hybrids -Countess of Dudley Clear pink. -Marjorie Rose pink.

Clear lavender blue.

-Niobe
Pure white.

-Victor

New England X -novae angliae 4 to 5' Aster Tall purple flowers. \mathbf{X} -Harringtons Pink Pink flowers. X -Mt. Rainier White flowers. False Spirea ASTILBE, Arendsi hybrids 2' VII Astilbe —Deutschland White. -Fanal Deep rich garnet. —Queen Alexandra Soft pink. False In digo BAPTISTIA, australis 3 to 4' Lupine-like flowers. Blue. Mallow *CALLIRHOE, involucrata VII-IX Rosey purple all summer. Creeping. Marsh Mairgold CALTHA, palustris 12 in. IV For moist places and along bogs and streams. Yellow. Carpatian Bluebell *CAMPANULA, carpatica 1' VII Light blue, Large bells. VII -* Carpatica alba White bells. Bellflower VI-VII -persicifolia 2' Large, cup-shaped blue flowers. -persicifolia alba 2' Large, cup-shaped white flowers. VII-IX —* poscharskyana 6 in. Blue. Very low. VIII-X -portenschlagiana Very low and small dainty. Blue. Cupids Dart CATANANCHE, coerulea 18 in. VI-VII Grass like leaves. Stems with blue flowers. Perennial Cornflower CENTAUREA, montana 2' Violet-blue flowers. Snow-in-Summer *CERASTIUM \mathbf{VI} -tomentosum 6 in. Gray foliage. White flowers.

(3 in. pots.)

*CERATOSTIGMA, plumbaginoides 6 to 8 in. IX-X

Blue Plumbago

Dwarf and spreading.

Dark blue.

CHELONE, lyoni 2 to 3' VII-IX Rosy flowers.

Turtlehead

CHRYSANTHEMUM 1' IX

Cushion Varieties

-Chiquita Yellow.

---Mahogany

Dark red-mahogany. 3' Large flowering.

-Algonquin Yellow

-Aladdin Coppery bronze.

Hybrid Korean, late fall HEATHERFELLS STRAIN

Flowering in October as the last flowers of the season.

Hardy, resistant to any winter, keeping green down to the ground in summer and in dry weather.

Sun star, daisy-type light yellow

Pink star, daisy-type yellow center, like Cosmos Red star, daisy-type yellow center, cerisered Blush star, daisy-type yellow center, light pink

White star, daisy-type yellow center, double rayflowers Peach star, daisy-type yellow center, pastel peach color

Bronze star, double daisy-type pastel bronze

Yellow star, daisy-type

Apricot star, daisy-type apricot

Spoon star, daisy-type mahogany, spoon petals

Other colors are in developing and as soon as the hardiness in the rigorous climate of Northern New England is proven, they will be released.

CHRYSANTHEMUM, Arcticum 1 to 1½' The Arctic Daisy IX-XI

Multitudes of white flowers. Attractive foliage.

-Koreanum 2' X-XI Korean Daisy White, changing to light pink, Golden center.

 $(2\frac{1}{2}$ in pots.)

—maximum 2 to 3' VI-IX Shasta Daisy
Large white flowers. Maximum white fringe. Fringed petals half
double. Very fine.

CIMICIFUGA, racemosa simplex 3 to 6'

Tall spikes of white flowers VII-VIII

Very stately.

Bugbane

Black Cohosh

CLEMATIS, integrifolia 2' VI-VII Blue, long-stemmed flowers.

COREOPSIS, lanceolata grandiflora 2 to 3' VI-XI

Graceful stems with golden yellow flowers.

DELPHINIUM, belladonna VI-IX

White, blue and purple shades.

*DIANTHUS, caesius superbus 10 in.

The hardiest blueish grass-like leaves.
Flowers pink,

VI

Larkspur

DICENTRA, eximia 12 in. VI-IX Fringed Bleeding Heart Fernlike foliage, rose flowers.

-eximia alba VI-IX White Fringed Bleeding Heart With white flowers,

—formosa alba 15 in. VI-IX White Pacific Bleeding Heart Fern-like foliage. Blueish. White flowers.

—spectabilis 2' V Bleeding Heart Graceful for early spring. Rose. Leaves die down in summer. .75

DICTAMNUS, fraxinella albus 2 to 3'
White flowers. VI-VIII

ruber 3 to 4'
Rosy purple with deeper-colored veins.

Gas Plant
Ditttany

DIGITALIS, ambigua 2' VI-VII Yellow Foxglove Small yellow flowers.

—purpurea 3' VI-VII Purple Foxglove
Purpurea gloxiniaeflora and white forms.

DORONICUM, caucasicum 18 in.

Yellow flowers like daisies IV-V

—plantagineum excelsum 2 to 3' IV-V

The best so far for our winters and summers. Flowers large and deep yellow.

EPIMEDIUM

Barrenwort Hardy, shade loving, with handsome foliage and delicately lovely flowers.

-* macranthum niveum 5 to 10 in. Snow-white flowers.

ERYNGIUM, amethystinum 2'

Blue Thistle

Blue thistle flowers.

*EUPHORBIA, cyparissias 10 in. Fine foliage. Flowers yellow umbels.

Spurge

-* myrsinites 10 in. Flowers yellow. Larger leaves, blueish-green.

FESTUCA, ovina glauca 10 in. VI Blue Fescue Small. Blue grass growing in tufts. Very beautiful in ledges.

FILIPENDULA, hexapetala 2' VI-VII

Meadowsweet

Foliage fern-like. Pink buds and souble white flowers in dense umbels.

GALAX, aphylla 10 in. VI Galax Large heart-shaped leaves. Glossy, bronze-mahogany in winter. Flowers, white. 1.00

GENTIANA, cruciata 1' VI-VII Light blue. Gentian

Gentian

-septemfida lagodechiana 4 in. Himalayan Gentian Deep blue. Low and creeping. .75

-asclepiadea 1 to 2' Willow Gentian Azur blue. .75

-pyrenaica 6 in. Alpine Gentian Dark blue, Low growing, .75

-tibetica 1' Tibeti Gentian Light blue. Small flowers. .75

*GYPSOPHILA, repens 6 in. VI-VII Babys Breath White. Low and spreading.

-* Rosenschleier 10 in. VI-VII Rosyveil Rose-pink. Rosyveil.

Helleborus, Christmasrose, Winterrose, Sneezeroot, Hellebore.

Rannunculaceae, Buttercup Family

White flowers, reddish tinged when passing. Leaves evergreens.

HELLEBORUS, niger Fl. XI-III

-niger praecox

Fl. XI-II

—niger maximus, (altifolius), (major)
 Largest flower. Reddish-purple flowers. Leaves evergreens.

-orientalis

Fl. II-III-IV

Mostly as variety atrorubens, colchicus atropurpurea ruba. Best location in half-shade with evergreen shrubs, or under floweringtrees, with such exposures to the sun that in winter it gets the rays and warmth of the light without the burning winds.

A good precaution is a box with an appropriate glass cover to keep the deep freezing off. Humus, good loam, some line and bonemeal is the best fertilizer. Once planted they do not like to be disturbed. The place should be also in such a way to stay moist in the summer heat.

Planting time best in spring for rooting during summer, before buds form in late fall. Keep mulched with leaves, peatmoss, to protect the roots from deep freezing.

Plants in 5 and 6 inch pots with well established roots for good transplanting success. 2.00

HEMEROCALLIS

Daylilyhybrids

Many varieties are available, just to name a few:

OPHIR SIRIUS WINSOME GLORIANA FULVA ROSEA CHICARO MASTERLY DESIGN MONTE AUGUST PIONEER DEBUTANTE WHITE LADY KAJIN **HESPERUS** PINK LUSTRE MONGOL PICARDY HYPERION AUTUMN RED

VI-VII-VII Orange V-VI Golden yellow VI Creamy yellow VI Brilliant yellow VII-VIII Pastel rose VII Large orange Bronze yellow inside VII-VIII Yellow bronze VIII Yellow and reddish VII Yellow bronze streaks VII Light yellow, white VII Golden VIII Golden vellow Pinkish streaks VII Golden, darker inside VIII Orange VII-VIII Canary yellow VIII-IX Large red

*HEUCHERA, 1½' V-IX
Large pink flowers and fiery red.

Coral Bells

HIBISCUS 4'

Summer Mallow Marvels

Moscheutos Hybrids (B. & A. Giant-flowered Marsh Mallows) Separate colors, white, pink, crimson.

HOSTA, japonica (lancifolia) 2'
Narrow leaves.

VII-VIII
Spikes of violet flowers.

Japanese Plaintainlily

—undulata 2' VII-VIII
Leaves wavy, white edges. Spikes of violet flowers.

-coerulea (ovata 2' VII-VIII Blue Plaintainlily Leaves broad. Blue flowers.

—aureo-marginata 1' VII-VIII
Leaves yellow-spotted, with green stripes. Flowers violet.

—plantaginea (subcordata 2' VIII-X Fragrant Plantainlily Large leaves. Light green. Flowers white. Very fragrant.

HYPERICUM, buckleyi 6 in. VI-VII

Very dwarf. Creeping. Good for sunny places. Masses of yellow flowers.

From the Great Smoky Mts.

*IBERIS, sempervirens 10 in. IV-V White flowers.

Candytuft

—* sempervirens Little Gem 6 in. Small compact growth. IV-V

--* Snowflake 2' IV-V
Pure white,

INULA, helenium 6' VII-VIII Elecampane
Tall stems with yellow sunflowers for moist places, along pools.

*IRIS, cristata 4 in. IV-V Crested Iris
Small form of Iris. Dainty light blue flowers.

—germanica 2 to 3' V Bearded Iris
In different colors.

-kaempferi 2 to 3' VII Japanese Iris

For wet and moist places.

Double purple.
Single purple.
Single red.
Double red.
Single white.

Single striped white-purple.

—pseudacorus 2' V Yellow Swamp Iris
Along water and swampy places. Large yellow flowers. Very easy
to naturalize.

-* pumila 6 to 8 in.

Dwarf Iris

Purple. Yellow. White.

VARIOUS IRIS

—sibirica 2 to 3' V-VI
Purplish-blue flowers, borne in clusters.

—Perry's Blue 3 to 4' VI Clear blue flowers on stiff stalks.

—Snow Queen 2 to 3' V. Large, snow-white flowers.

KIRENGESHOMA, palmata VIII-IX

Native to Japan
18 to 24 in. high with palmata, lobed leaves. Fl. yellow, nodding in panicles on the end of stems.

New introduction

2.00

LEONTOPODIUM, alpinum 8 in.

The famous alpine flower...VII

Hairy leaves and wooly flowerheads. Grayish white 1.00

-* himalayense 10 in.
Similar to the former, perhaps taller growing. 1.00

LIATRIS, pycnostachya 4' VIII

Dense spikes of purple flowers.

Gayfeather

—scariosa a!ba 4'
Loose spikes of white flowers.

LIGULARIA, (Senecio) clivorum 3' Groundsel VIII-IX Ragwort
Strong growing plant with large heart-shaped leaves. Often purple, Dark golden-yellow flowers.

—var. Othello
Leaves reddish-purple in summer. Fl. Deep golden-orange.

*LINARIA, cymbalaria 6 in. Kenilworth Ivy
All summer

Trailing and climbing with small flowers like Snapdragon.

LINUM, perenne 1 to 2' VI-IX - all summer Foliage blue-gray. Fine, blue flowers.

LOBELIA, cardinalis 2 to 3' VIII Cardinal Flower Scarlet-red flowers.

—syphilitica 2 to 3' VIII-IX Blue Lobelia
Dark blue flowers. Very prolific.

LUPINUS, polyphyllus

Hybrids of various colors.

Lupine

LYTHRUM, salicaria 3 to 4' VII-IX

Loosestrife

roseum superbum

Best pink selection. Grows best in moist soil.

*MAZUS, reptans 2 in. VII-VIII
Creeping with large flowers.

MONARDA, didyma 2 to 3' VII-VIII Beebalm, Oswega Tea Brilliant scarlet flowers. Aromatic like peppermint.

—fistulosa VII-VIII Purple Beebalm

*MERTENSIA, virginica 11/2'

Virginia Bluebell

V-VI

Clusters of nodding blue flowers.

*MYOSOTIS, palustris semperflorens 10 in.

Forget-me-not

Blooms a long time. Blue flowers.

*NEPETA, mussini

Catmint

Six Hills Giant 8 to 12 in. IV-VII

A decided improvement on Mussini. Plants more compact.

PAPAVER, orientale

Oriental Poppy

-Perry's White

White with maroon blotch.

-Wurtembergia

Dark scarlet.

-Joyce

Old Rose. Very fine variety.

PAEONIA, sinensis 2' V

Peony

Many hybrids in different colors.

PHLOX, decussata 2' VII-VIII Garden Phlox Hybrids in white, red, pink, and salmon.

—paniculata, Miss Lingard VI-VII Miss Lingard Phlox Glossy leaves, Flowers in long panicles. Clear white.

--* stolonifera 4 in. IV-V Creeping Phlox Pink flowers. Trailing, creeping.

—* divaricata laphami 6 in.

Canada Phlox

Blue, violet flowers.

Dide, violet nowers.

PHYSOSTEGIA, virginiana 2 to 3' False Dragonhead VIII-IX var. Pink Juniata

Upright with dense spikes of pink flowers, sometimes rose. This variety was selected from all others for its dense spikes among wild plants in the Alleghany Mts.

*POLYGONUM, reynoutria 6 to 8 in.

Red Lace Plant

Red-stemmed leaves in summer. Flowers in panicles, dense and red. Foliage turns red in fall. IX

*PLUMBAGO (ceratostigma) 6 to 12 in.

Blue Leadwort

VIII-IX Larpentae

Blue flowers. (3 in. pots.)

POTENTILLA, tridentata 10 in.

White.

PRIMROSES

Primula Species

HARDY VARIETIES

ACAULIS, (Veris acaulis) (Vulgaris) 6 to 9 in. English Primrose IV-V Fragrant.

Flowers on long stem singly arising from center.

.50 Yellow, white, purple, pink. .60 Coerulea, blue and violet

-Large flowered Hybrids in all colors. 4 in. Very large, ½ dollar size.

ELATIOR, (Veris) (Polyanthus)

Oxlip

Slightly fragrant.

Flowers in umbels on long stem, later than acaulis.

Yellow, white, golden, purple, red, red hose in hose, orange, peach, .50 amber, apricot.

—(polyanthus) hybrids 9 in.

Colossal, very large in all colors from white to apricot, mahogany.

OFFICINALIS, (Veris officinalis) (Suaveolens) 12 in. Cowslip Very fragrant. V-VI

Flowers in umbels on tall stems, slightly drooping.

Yellow, red, golden, pale yellow, copper, mahogany, brown .50 amber.

VIJapanese Primrose SIEBOLDI 12 in. Large flowers in loose umbels. Leaves with stems. Soft pink, white.

Primula varieties prefer partial shade to prevent the burning and wilting in summer, which weakens the plant. Rich loamy soil with moisture available in summer will give best results.

Protection in winter with brush against the sun will keep the top of the plants from burning and thawing.

These early primroses, planted on the edges of shrub or perennial plantings or in front of Rhododendron and Azalea will multiply and bloom for years and will bring the joy of spring much earlier into the garden. Interplanted with Rohrbachs Everblooming Violet they will form a groundcover with flowers in spring and again in fall, when the Violet will remind us of the coming of Spring.

There are other later flowering Primroses, which will prolong the season into summer. If you are interested, please let us know.

*PULMONARIA, augustifolia azurea 1'

Attractive. Funnel-shaped. IV

Deep gentian-blue flowers—a rare color in perennials.

-saccharata 1'

Spotted Lungwort

Leaves spotted or mottled. Flowers from pink over blue to purple.

PYRETHRUM, roseum 2½' V-VI

Painted Daisy

Single. White to deep red.

RUDBECKIA, laciniata Double. Golden flowers. VII-IX

Golden Glow

-Goldsturm 33' VII-IX

Deep yellow flowers. Daisytype. SEDUM, acre

VI-VII

Coneflower

Small, yellow,

-album murale

VI-VII

Stonecrop

--album Leaves green. Fl. White.

Leaves purple. Fl. Pink.

-ewersii

VIII-X

L. blueish. Fl. Pink.

-kamtschaticum L. Dark green, Fl. Orange.

VIII-X

-middendorfianum VII-VIII

L. Small, little stems. Fl. Golden.

-rupestre

L. Blueish-gray, Fl. Yellow.

-spurium (stoloniferum)

VII

Leaves purplish. Fl. Purple-red.

-sexangulare

VII

L. Small. Fl. Yellow.

VIII-IX

-spectabile Brilliant large umbels of red flowers.

-Whitehead

VIII-IX

plants

.40

SEMPERVIVUM, arachnoidum

House Leek

L. Hairy. Fl. Red.

-globiferum

L. Smooth, yellow-green. Fl. Yellow

-tectorum

L. Large, green. Fl. Pink.

-tectorum violaceum

L. Purple-red. Fl. Reddish-purple plants

.40

SANGUINARIA, canadensis 6 in.

Blueish-green leaves. IV

Stems reddish. Sap red, staining. Flowers like strawberry-white.

—canadensis flore pleno 6 in. IV Multiplex Bloodroot Very double flowers. As a bud a white snowball, opening to the full flower, White.

*SAPONARIA, ocymoides 6 in. V-VIII Creeping Soupwort

Trailing with bright pink flowers.

SCABIOSA, caucasia 12 in. V-VIII Violet-blue flowers, also other varieties. Blue Bonnet

Bloodroot

SHORTIA, galacifolia 6 to 9 in.

Oconeebells

Leaves like the Galax. IV-V Evergreen, turning purple-red in winter. Fl. Little bells, white.

*STACHYS, lanata 12 in. VII

Lambs Ear

Wooly gray leaves. Low. Fl. On stems, purple.

STOKESIA

Cornflower Aster

—* laevis (cyanea 2' VIII-X
Sky-blue flowers 3 to 4 inches across.

TEUCRIUM, chamaedrys 1' VII-VIII

Germander

Light purple flowers. (3 in. pots.) Ideal dwarf hedge.

THALICTRUM, g la ucum speciosissimum 3' Meadowrue
Leaves blueish. VI-VII
Flowers yellowish, cream.

THERMOPSIS, caroliniana 4'

VI-VII

Brilliant yellow pea shaped flowers.

THYMUS, serpyllum 2 to 4 in.

Mats of dark green foliage. VII

Red flowers.

—* album 3 to 4 in. VI-VII
White form of the preceding.

Mountain Thyme

- -* coccineus 2 to 4 in. VII
 Dark green foliage, Bright red flowers.
- --* lanuginosus 5 in. VI-VIII Wooly Thyme Spreads rapidly. Flowers reddish-pink.

TRILLUM, erectum 12 in. V
Fl. Reddish-purple. Nodding.

—erectum album 12 in. V Fl. White with dark center.

—grandiflorum 12 in. V White Wake Robin Large white flowers.

—luteum 15 in. V Yellow Wake Robin Yellow flowers.

—stylosum 15 in. V Rose Trillium Pink flowers.

—undulatum 8 in. V Painted Trillium Pink with red streaks.

—sessile 8 in. V Mottled Trillum Mottled leaves, Flowers purple. Erect.

TROLLIUS, europaeus 1 to 2' Double Buttercup

TROLLIUS, europaeus (Orange Globe) 1 to 2' Double Buttercup V-VI

—ledebouri (Golden Queen) V-VI Full double buttercup flowers.

VERONICA, longifolia subsessilis 2' Blue Speedwell VII-IX

Very deep blue flowers in spikes. One of the best blue flowering plants.

—longifolia subsessilis Icicle White Speedwell Flowers in white spikes. VII-IX

FRAGRANT VIOLET

ROHRBACH'S EVERBLOOMING (In Continued Selected Strain)

A strain of Viola odorata, the fragrant Violet, which flowers in Spring and again in Autumn, hardy resistant, fragrant. The sweet odor of the English Violet is combined with the perpetual FLOWERING from SPRING until AUTUMN. Occasional flowers in Summer, this violet bursts in bloom again in Fall like in Spring till end of November and the freezing weather. A worthwhile addition to the Fallgarden, Rock-, Herbgarden, Border. Resistant against winter-cold, summer-heat, this type was developed in selecting and breeding for Fall flowering.

VIOLA, odorata rosina 2 in.

Pink fragrant Violet

Pink flowers.

IV

White fragrant Violet

White flowers,

-alba

GROUNDCOVERS

FOR SHADE AND ACID SOIL

ARCTOSTAPHYLOS, uva ursi	Bearberry .75
COPTIS, trifoliata	Goldthreat .50
EPIGAEA, repens	Trailing Arbutus 1.00
EMPETRUM, nigrum	Crowberry 1.00
VACCINIUM, vitis idaea minor	Mountain Cranberry .50
VACCINIUM, vitis idaea major	Mountain Cranberry .75
MITCHELLA, repens	Partridgeberry .50
PACHYSANDRA, terminalis	Japanese Spurge .15
POTENTILLA, tridentata	Threeleaved Cinquefoil .50
PULMONARIA, angustifolia	Lungwort .50
PULMONARIA, saccharata	Lungwort .50
VINCA, minor	Periwinkle .1525
VINCA, minor alba	White Periwinkle .1525
SARCOCOCCA, Hookeriana Humilis	Purple Blackberry 1.00

PODOPHYLLUM, peltatum 12 to 18 in.

Mayapple

Leaves, round umbrellas on erect stem with bell-shaped flowers. White.

CLINTONIA, borealis 12 in. Yellow Beadlily Glossy leaves, spreading as groundcover. Yellow leaves and bright blue berries.

CORYDALIS, solida

Fumitory

(digitata) IV

Fl. Purple. Leaves feathery. Seeds itself out under leaves covering the ground very fast. Leaves disappearing in summer.

ASARUM, canadense 3 in. IV

Heart-shaped leaves. Purple flowers. Ginger taste in stems and roots.

Wild Ginger
in stems and .50

—shuttleworthi 4 in. V Mottled Ginger
Evergreen mottled leaves. From North Carolina. Flowers purple.

ASPERULA, Sweet Woodruff .50 CONVALLARIA, Majalis Lily of the Valley .50

FERNS

DENNSTAEDTIA, punctiloba PTERETIS, nodulosa (STRUTHIOPTERIS, germancia) (Onoclea struthiopteris)	Hayscented Fern Ostrich Fern	.50 .50
OSMUNDA, cinnamonea OSMUNDA, claytoniana OSMUNDA, regalis	Cinnamon Fern Interrupted Fern Royal Fern	.50 .50 .50

SCOLOPENDRIUM, vulgare 1'

Hearts Tongue

Single leathery fronds. Evergreen, also frilled, undulated and crested forms. These varieties collected from sources in Germany. More resistant to the continental climate of America.

1.50

VINES

V 114113	
EVONYMUS	Wintercreeper
Radicans — the type of the species.	
Colorata — purpleleaved in winte minima — small-leaved, vegeta — round-leaved, carrieri — oblong-leaved,	er.
2 yr.	1.00
2 yr. 3 yr.	1.50
HEDERA, helix pot-grown	lish Ivy Varieties .75

GROUNDCOVERS

For DRY and SUNNY places, NEUTRAL soil.

The following plants multiply rapidly with stolons and runners, and are best suitable, where other plants or lawn fails.

PYRETHRUM, Tschihatschewii V-VI

CHRYSANTHEMUM, Tschihatchewii

(Pyrethrum Tsch.) (Matricaria Tsch.) (Chamaemelum Tsch.)

Small daisyflowers, white with yellow center, 3 to 4 inches high. The leaves are finely cut like milfoil and lies close to the ground, growing with runners and suckers quickly, spreading all over the surface. Good for dry places, dry walls and in place of lawn.

MATRICARIA, oreades VI

(Pyrethrum) (Chamaemelum)

Similar to the former. Leaves very finely cut. Fernlike. Flowers on single stems 10 inches high. White with yellow center.

.50

SEDUM, spurium—pink—Stonecrop		VII-VIII
SEDUM, spurium—splendens—red		VII-VIII
THYMUS, citriodorus—Lemon Thyme	.40	VII
THYMUS, Lanuginosus—Wooly Thyme	.40	VII
THYMUS, serpyllum—Creeping Thyme	.40	VI
Albus—white	.40	VI
$\mathbf{Coccine_{us}}$ —red	.40	VI
VERONICA, rupestris—Creeping Speedwell	.40	VI

For SHADY places and NEUTRAL soil

AJUGA, reptans Bugle —atropurpurea	V V	.25 .25		
ASARUM, europaeum Evergreen heart-shaped	IV-V leaves. Purple flo	European Wild Ginger wers. Gingertaste.		
ASPERULA, odorata, Sw CONVALLARIA majalis, LAMIUM, maculatum, D LAMIUM maculatum alb LAMIUM, galeobdolon	Lily of the Valley eadnettle	.50 V .50 .25 VII		
This is a novelty for America and should prove the fastest ground-cover for shade. Interplanted with Scilla or Periwinkle it will blend with its golden flowers into the blue of the others. Growing with runners like strawberries.				
—galeobdolon florentinum	v-VI	Silverleaved Golden Weasel Snout		
This is a variety of the former with silver spotted leaves. Introduced also by me for its fast growing ability to cover ground under trees and shrubs. Very tolerant to the accumulation of leaves. The silver leaves are a good background for Fall Crocus and Colchicum.				
PHLOX, stolonifera, Cre		.40 V 15 V-VI		
VINCA, minor, Periwink VINCA, minor alba, wh		.15 V-VI .15 V-VI		
VIOLA, odorata, Rohrba	achs Everblooming			
PYRETHRUM, Tschiha This plant besides in	tschewii sunny places grow	s splendidly in shade.		
Of ferns the following an				
DICKSONIA, punctiloba	—Hayscented Ferr			
PTERETIS, noduleosa— (Struthiopteris german	Ostrich Fern nica) (Onoclea st	.50 ruthiopteris)		
CAMPTOSURUS, rhizo Very interesting Fern Of vines or creeping shr	and unique.	Fern 1.00		
EVONYMUS, radicans-	–Evergreen Bitters	weet		
strongplants colorata—purpl vegeta—round carrieri—oblong minima—small radicans—the t	g leaved leaved	1.00 & 1.50 r		

For SUNNY and MOIST places

LYSIMACHIA, nummularis

Pennywort

Yellow, Creeps fast and takes the place of lawn in wet spots.

.25

TUSSILAGO, farfara 8 in. III-IV

Coltsfoot

Leaves like small rhubarb, disappearing in summer. Very fast creeper on bare soil. Yellow daisy-like. The earliest flower in spring.

RANUNCULUS, ficaria

Lesser Celandine

(Ficaria verna) III-IV

Fl. Yellow, buttercup. Leaves disappearing in summer. Multiplies rapidly with bulblets.

SHRUBS NOT QUITE HARDY

Good in protected places, dry and warm

ABELIA, grandiflora Mme, Goucher 3' Asia Glossy Abelia Small rosy-pink flowers. Fl. VII Caprifoliaceae L. Glossy-green.

pots 2.50

CLERODENDRON, Trichotomum 4' Glorybower Fl. X Asia Verbenaceae

Fl. White and pink, dies back in winter. L. With unpleasant smell. Fr. Blue.

2.00 young plants

GORDONIA, alatamaha Fl. X Am. Franklinia Large white flowers, late in fall. L. Large shiny and bronzecolored in fall.

> 12 in. 5.00

ROSMARINUS, officinails Eur. Rosmary Very fragrant as an herb, best in a cool house or cold-frame over

6 to 8 in. in pots

TAXODIUM, mucronatum 100'

winter.

Ahuehuete Mexican Cypress

Pinaceae

Similar to the Swamp cypress of the South, but not hardy, only for inside, or in tubs. Fine feathery leaves like a Larch. Seed collected from the trees in Chapultepec Park in Mexico.

2.00 12 in. pots

VIBURNUM, Rhytidophyllum 10' Leatherleaf Snowball Fl. V-VI Caprifoliaceae

Evergreen, Large leaves, brown on underside, Fl. cream colored umbels.

> 18 to 24 in. 4.00

MYRTUS, communis 2 to 4'

Myrtle Myrtaceae

Good house plant with rich, green leaves and occasional white. Very fragrant flowers, Leaves fragrant. The ancient plant for the bridal wreath.

Potplants 2.00

The following English Holly types have proven to be fairly hardy with protection and care against the blowing winds, and against strong sunlight,

All are seedlings of own collected seeds in the mountains of Central Europe, some from heights of 2400 feet in exposed regions.

ILEX, aquifolium Eur. English Holly Dark green foliage with many spines. Erect growth and fruiting

fairly soon. Black Forest Hessen

Rhineland Baden 6 to 9 in. 3.00 9 to 12 in. 4.00

INDEX

Azalea	14
Broadleaf Evergreens	3
Cactus	. 61
Coniferous Evergreens	. 17
Compact Evergreens	. 26
Deciduous Conifers	. 29
Dwarf Evergreens	. 24
Ericaceous Evergreens	. 9
Ericaceous Shrubs	. 14
Fruits	. 59
Fruits, Small	59
Ground covers	79
Heather	12
Hedges	59
Perennials	64
Rhododendron	10
Roses	59
Shrubs, flowering	41
Shrubs, not quite hardy	84
Trees, for shade and flowers	30
Vines, Climbers	57
Veeping Trees	27





WEEPING BLUE SPRUCE

